

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006177.D Vial: 2
 Acq On : 24-Jul-2014, 14:00 Operator: HNP
 Sample : SSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 SSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.404	3.920 E3	11.0	98	-0.06
2 T	HMX	4.905	4.077 E3	16.9	93	-0.04
3 T	RDX	5.598	4.828 E3	13.8	97	-0.08
4 T	1,3,5-Trinitrobenzene	11.039	10.112 E3	8.4	101	-0.13
5 T	1,3-Dinitrobenzene	16.791	15.604 E3	7.1	103	-0.18
6 T	3,5-Dinitroaniline	13.476	12.545 E3	6.9	103	-0.21
7 T	Nitrobenzene	10.287	9.283 E3	9.8	101	-0.25
8 T	Tetryl	7.773	6.813 E3	12.4	95	-0.46
9 T	2,4,6-Trinitrotoluene	10.579	9.762 E3	7.7	102	-0.41
10 T	2-Amino-4,6-dinitrotoluene	11.400	10.045 E3	11.9	100	-0.45
11 T	4-Amino-2,6-dinitrotoluene	6.930	6.720 E3	3.0	101	-0.50#
12 T	2,4-Dinitrotoluene	15.848	14.287 E3	9.8	101	-0.53#
13 T	2,6-Dinitrotoluene	8.531	7.938 E3	7.0	101	-0.56#
14 T	2-Nitrotoluene	6.881	5.937 E3	13.7	96	-0.79#
15 T	4-Nitrotoluene	5.546	4.884 E3	11.9	95	-0.85#
16 T	3-Nitrotoluene	7.146	6.482 E3	9.3	103	-0.92#
17 T	PETN	8.857	9.168 E3	-3.5	115	-1.36#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006177.D Vial: 2
 Acq On : 24-Jul-2014, 14:00 Operator: HNP
 Sample : SSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 SSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------