

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006177.D Vial: 2
 Acq On : 24-Jul-2014, 14:00 Operator: HNP
 Sample : SSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 SSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	444.980	11.0	98	-0.06
2 T	HMX	500.000	452.049	9.6	93	-0.04
3 T	RDX	500.000	431.253	13.7	97	-0.08
4 T	1,3,5-Trinitrobenzene	500.000	458.004	8.4	101	-0.13
5 T	1,3-Dinitrobenzene	500.000	464.646	7.1	103	-0.18
6 T	3,5-Dinitroaniline	500.000	465.459	6.9	103	-0.21
7 T	Nitrobenzene	500.000	451.216	9.8	101	-0.25
8 T	Tetryl	500.000	438.225	12.4	95	-0.46
9 T	2,4,6-Trinitrotoluene	500.000	461.393	7.7	102	-0.41
10 T	2-Amino-4,6-dinitrotoluene	500.000	440.569	11.9	100	-0.45
11 T	4-Amino-2,6-dinitrotoluene	500.000	484.850	3.0	101	-0.50#
12 T	2,4-Dinitrotoluene	500.000	450.748	9.9	101	-0.53#
13 T	2,6-Dinitrotoluene	500.000	465.276	6.9	101	-0.56#
14 T	2-Nitrotoluene	500.000	431.360	13.7	96	-0.79#
15 T	4-Nitrotoluene	500.000	440.349	11.9	95	-0.85#
16 T	3-Nitrotoluene	500.000	453.560	9.3	103	-0.92#
17 T	PETN	500.000	517.552	-3.5	115	-1.36#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006177.D Vial: 2
 Acq On : 24-Jul-2014, 14:00 Operator: HNP
 Sample : SSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 SSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------