

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006171.D Vial: 1
Acq On : 24-Jul-2014, 11:28 Operator: HNP
Sample : HSTDCCC005 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : AUTOINT1.E
Quant Time: Jul 24 11:51 2014 Quant Results File: HN0717NG.RES

Instrument :
HPLC_N
LabSampleId :
HSTDCCC005

Manual Integrations
APPROVED

TEJASKUMAR
7/31/2014 7:03:39 PM

Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0717NG.M
Title :
Last Update : Tue Jan 21 14:02:23 2014
Response via : Initial Calibration
DataAcq Meth : 8330ANG.M

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.33	17617617	4.641 ng/ulm
Target Compounds			
2) T Nitroglycerin	6.19	38660089	5.168 ng/ul

Analyst Signature:_____ Analyst Name:_____ Date:_____

-----REASONS FOR MANUAL INTEGRATIONS-----

___Poor resolution of peaks exhibited on chromatogram.Compound #:_____

___Peak Integrated by software incorrectly.Compound #:_____

___OTHER:_____Compound #:_____

(f)=RT Delta > 1/2 Window (m)=manual int.

HN006171.D HN0717NG.M

Mon Aug 18 16:49:26 2014

RPT1

Quantitation Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006171.D Vial: 1
Acq On : 24-Jul-2014, 11:28 Operator: HNP
Sample : HSTDCCC005 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : AUTOINT1.E
Quant Time: Jul 24 11:51 2014 Quant Results File: HN0717NG.RES


Instrument :
HPLC_N
LabSampleId :
HSTDCCC005


Manual Integrations
APPROVED

TEJASKUMAR
7/31/2014 7:03:39 PM

Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0717NG.M
Title :
Last Update : Tue Jan 21 14:02:23 2014
Response via : Multiple Level Calibration
DataAcq Meth : 8330ANG.M

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A






#1 4-Nitroaniline

R.T.: 1.326 min
 Delta R.T.: -0.005 min
 Response: 17617617
 Conc: 4.64 ng/ul

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Manual Integrations
 APPROVED

TEJASKUMAR
 7/31/2014 7:03:39 PM



#2 Nitroglycerin

R.T.: 6.190 min
 Delta R.T.: -0.002 min
 Response: 38660089
 Conc: 5.17 ng/ul