

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN073015\
 Data File : HN007444.D
 Signal(s) : vwd1A.ch
 Acq On : 30-Jul-2015, 16:20
 Operator : TP/IZ
 Sample : SSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 SSTDCCC0500

Integration File: autoint1.e
 Quant Time: Jul 30 17:27:52 2015
 Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN072915.M
 Quant Title :
 QLast Update : Thu Jul 30 03:40:13 2015
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 ul
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	513.694	-2.7	96	0.00
2 T	HMX	500.000	499.832	0.0	94	0.00
3 T	RDX	500.000	534.116	-6.8	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	530.776	-6.2	100	0.00
5 T	1,3-Dinitrobenzene	500.000	543.083	-8.6	102	0.00
6 T	3,5-Dinitroaniline	500.000	544.761	-9.0	102	0.00
7 T	Nitrobenzene	500.000	526.418	-5.3	99	0.02
8 T	Tetryl	500.000	518.776	-3.8	98	0.02
9 T	2,4,6-Trinitrotoluene	500.000	534.153	-6.8	101	0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	537.254	-7.5	101	0.01
11 T	4-Amino-2,6-dinitrotoluene	500.000	571.464	-14.3	107	0.02
12 T	2,4-Dinitrotoluene	500.000	547.999	-9.6	104	0.02
13 T	2,6-Dinitrotoluene	500.000	572.069	-14.4	108	0.02
14 T	2-Nitrotoluene	500.000	503.588	-0.7	98	0.03
15 T	4-Nitrotoluene	500.000	490.327	1.9	93	0.02
16 T	3-Nitrotoluene	500.000	526.906	-5.4	99	0.03
17 T	PETN	500.000	519.129	-3.8	91	0.04

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

HN072915.M Wed Feb 10 15:15:24 2016