

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006229.D\VWD1A.CH Vial: 1
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006229.D\VWD1A.CH
 Acq On : 13-Aug-2014, 11:02 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	459.753	8.0	102	0.05
2 T	HMX	500.000	508.349	-1.7	104	0.02
3 T	RDX	500.000	519.133	-3.8	116	0.06
4 T	1,3,5-Trinitrobenzene	500.000	509.999	-2.0	112	0.12
5 T	1,3-Dinitrobenzene	500.000	532.753	-6.6	118	0.17
6 T	3,5-Dinitroaniline	500.000	561.882	-12.4	124	0.19
7 T	Nitrobenzene	500.000	491.106	1.8	110	0.25
8 T	Tetryl	500.000	427.426	14.5	92	0.52#
9 T	2,4,6-Trinitrotoluene	500.000	572.013	-14.4	126	0.42
10 T	2-Amino-4,6-dinitrotoluene	500.000	489.869	2.0	111	0.48
11 T	4-Amino-2,6-dinitrotoluene	500.000	543.766	-8.8	113	0.53#
12 T	2,4-Dinitrotoluene	500.000	501.999	-0.4	112	0.55#
13 T	2,6-Dinitrotoluene	500.000	525.760	-5.2	115	0.60#
14 T	2-Nitrotoluene	500.000	502.622	-0.5	111	0.83#
15 T	4-Nitrotoluene	500.000	512.583	-2.5	111	0.87#
16 T	3-Nitrotoluene	500.000	503.621	-0.7	115	0.99#
17 T	PETN	500.000	534.261	-6.9	118	1.46#

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006229.D\VWD1A.CH Vial: 1
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006229.D\VWD1A.CH
 Acq On : 13-Aug-2014, 11:02 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------