

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH Vial: 1
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH
 Acq On : 13-Aug-2014, 17:17 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.404	4.158 E3	5.6	104	0.05
2 T	HMX	4.905	4.557 E3	7.1	104	0.03
3 T	RDX	5.598	5.958 E3	-6.4	119	0.07
4 T	1,3,5-Trinitrobenzene	11.039	11.333 E3	-2.7	113	0.13
5 T	1,3-Dinitrobenzene	16.791	17.731 E3	-5.6	117	0.19
6 T	3,5-Dinitroaniline	13.476	15.106 E3	-12.1	124	0.22
7 T	Nitrobenzene	10.287	10.184 E3	1.0	111	0.27
8 T	Tetryl	7.773	6.308 E3	18.8	88	0.56#
9 T	2,4,6-Trinitrotoluene	10.579	12.013 E3	-13.6	125	0.46
10 T	2-Amino-4,6-dinitrotoluene	11.400	11.078 E3	2.8	110	0.54#
11 T	4-Amino-2,6-dinitrotoluene	6.930	7.476 E3	-7.9	112	0.60#
12 T	2,4-Dinitrotoluene	15.848	15.917 E3	-0.4	112	0.61#
13 T	2,6-Dinitrotoluene	8.531	9.007 E3	-5.6	115	0.66#
14 T	2-Nitrotoluene	6.881	6.824 E3	0.8	110	0.93#
15 T	4-Nitrotoluene	5.546	5.794 E3	-4.5	113	0.96#
16 T	3-Nitrotoluene	7.146	7.095 E3	0.7	113	1.08#
17 T	PETN	8.857	9.444 E3	-6.6	118	1.55#

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH Vial: 1
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH
 Acq On : 13-Aug-2014, 17:17 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------