

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH Vial: 1
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH
 Acq On : 13-Aug-2014, 17:17 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	471.983	5.6	104	0.05
2 T	HMX	500.000	507.720	-1.5	104	0.03
3 T	RDX	500.000	532.174	-6.4	119	0.07
4 T	1,3,5-Trinitrobenzene	500.000	513.332	-2.7	113	0.13
5 T	1,3-Dinitrobenzene	500.000	527.981	-5.6	117	0.19
6 T	3,5-Dinitroaniline	500.000	560.474	-12.1	124	0.22
7 T	Nitrobenzene	500.000	495.022	1.0	111	0.27
8 T	Tetryl	500.000	405.734	18.9	88	0.56#
9 T	2,4,6-Trinitrotoluene	500.000	567.774	-13.6	125	0.46
10 T	2-Amino-4,6-dinitrotoluene	500.000	485.873	2.8	110	0.54#
11 T	4-Amino-2,6-dinitrotoluene	500.000	539.383	-7.9	112	0.60#
12 T	2,4-Dinitrotoluene	500.000	502.190	-0.4	112	0.61#
13 T	2,6-Dinitrotoluene	500.000	527.939	-5.6	115	0.66#
14 T	2-Nitrotoluene	500.000	495.841	0.8	110	0.93#
15 T	4-Nitrotoluene	500.000	522.368	-4.5	113	0.96#
16 T	3-Nitrotoluene	500.000	496.461	0.7	113	1.08#
17 T	PETN	500.000	533.091	-6.6	118	1.55#

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH Vial: 1
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN081314\HN006236.D\VWD1A.CH
 Acq On : 13-Aug-2014, 17:17 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------