

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000447.D Vial: 2
 Acq On : 15-Aug-2012, 13:25 Operator: HLM
 Sample : 8330-6 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Aug 16 10:23 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330VWDC.M

Volume Inj. :
 Signal Phase :
 Signal Info :


Compound	R.T.	Response	Conc	Units


System Monitoring Compounds				
Target Compounds				
2) T HMX	12.49	51319818	4781.164	ug/L
3) T RDX	10.45f	67555760	4817.836	ug/L
4) T 1,3,5-Trinitrobenzene	23.96	70695544	2415.540	ug/L
5) T Tetrvl	33.61	108636417	4954.834	ug/L
6) T 2,4,6-Trinitrotoluene	32.00	66752349	2439.209	ug/L
7) T 2-Amino-4,6-dinitrotoluene	15.65	120539512	2374.591	ug/L
8) T 4-Amino-2,6-dinitrotoluene	15.65	120539512	2374.591	ug/L
9) T 2,4-Dinitrotoluene	21.02	94285579	2423.294	ug/L
10) T 2,6-Dinitrotoluene	19.63	48673285	2411.862	ug/L
11) T 1,3-Dinitrobenzene	15.29f	97556229	2374.203	ug/L
12) T Nitrobenzene	11.93f	65861695	2414.274	ug/L
13) T 2-Nitrotoluene	16.23f	84162868	4843.985	ug/L
14) T 3-Nitrotoluene	17.41f	90774142	4699.963	ug/L
15) T 4-Nitrotoluene	16.74f	71738431	4759.949	ug/L
16) T 3,5-Dinitroaniline	13.24f	166289507	4703.862	ug/L

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000447.D Vial: 2
Acq On : 15-Aug-2012, 13:25 Operator: HLM
Sample : 8330-6 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Aug 16 10:23 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Wed May 02 10:40:51 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330VWDC.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 12.492 min
Delta R.T.: -0.065 min
Response: 51319818
Conc: 4781.16 ug/L




#3 RDX

R.T.: 10.445 min
Delta R.T.: -0.056 min
Response: 67555760
Conc: 4817.84 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 23.959 min
Delta R.T.: -0.129 min
Response: 70695544
Conc: 2415.54 ug/L




#5 Tetryl

R.T.: 33.611 min
Delta R.T.: -0.161 min
Response: 108636417
Conc: 4954.83 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 31.998 min
Delta R.T.: -0.161 min
Response: 66752349
Conc: 2439.21 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.647 min
Delta R.T.: -0.083 min
Response: 120539512
Conc: 2374.59 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.647 min
Delta R.T.: -0.083 min
Response: 120539512
Conc: 2374.59 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.020 min
Delta R.T.: -0.117 min
Response: 94285579
Conc: 2423.29 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.631 min
Delta R.T.: -0.107 min
Response: 48673285
Conc: 2411.86 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.288 min
Delta R.T.: -0.083 min
Response: 97556229
Conc: 2374.20 ug/L




#12 Nitrobenzene

R.T.: 11.928 min
Delta R.T.: -0.066 min
Response: 65861695
Conc: 2414.27 ug/L




#13 2-Nitrotoluene

R.T.: 16.229 min
Delta R.T.: -0.089 min
Response: 84162868
Conc: 4843.98 ug/L




#14 3-Nitrotoluene

R.T.: 17.415 min
Delta R.T.: -0.095 min
Response: 90774142
Conc: 4699.96 ug/L



#15 4-Nitrotoluene

R.T.: 16.742 min
Delta R.T.: -0.092 min
Response: 71738431
Conc: 4759.95 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.237 min
Delta R.T.: -0.070 min
Response: 166289507
Conc: 4703.86 ug/L