

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000450.D Vial: 5
 Acq On : 15-Aug-2012, 16:03 Operator: HLM
 Sample : 8330-3 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Aug 16 10:23 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330VWDC.M

Volume Inj. :
 Signal Phase :
 Signal Info :


	Compound	R.T.	Response	Conc Units


System Monitoring Compounds				
1) S	4-Nitroaniline	7.52	4875919	467.906 ug/L
Target Compounds				
2) T	HMX	12.55	4890048	455.577 ug/L
3) T	RDX	10.50	6643541	473.794 ug/L
4) T	1,3,5-Trinitrobenzene	24.07	7225487	246.882 ug/L
5) T	Tetryl	33.78	10547679	481.073 ug/L
6) T	2,4,6-Trinitrotoluene	32.15	6752210	246.734 ug/L
7) T	2-Amino-4,6-dinitrotoluene	15.72	11814287	232.738 ug/L
8) T	4-Amino-2,6-dinitrotoluene	15.72	11814287	232.738 ug/L
9) T	2,4-Dinitrotoluene	21.12	9300566	239.040 ug/L
10) T	2,6-Dinitrotoluene	19.73	4806034	238.149 ug/L
11) T	1,3-Dinitrobenzene	15.36	9466995	230.396 ug/L
12) T	Nitrobenzene	11.99	6366840	233.387 ug/L
13) T	2-Nitrotoluene	16.31	8199140	471.901 ug/L
14) T	3-Nitrotoluene	17.50	8972939	464.587 ug/L
15) T	4-Nitrotoluene	16.83	7070748	469.154 ug/L
16) T	3,5-Dinitroaniline	13.30	16232421	459.170 ug/L

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000450.D Vial: 5
Acq On : 15-Aug-2012, 16:03 Operator: HLM
Sample : 8330-3 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Aug 16 10:23 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Wed May 02 10:40:51 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330VWDC.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 12.550 min
Delta R.T.: -0.007 min
Response: 4890048
Conc: 455.58 ug/L




#3 RDX

R.T.: 10.498 min
Delta R.T.: -0.003 min
Response: 6643541
Conc: 473.79 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 24.072 min
Delta R.T.: -0.016 min
Response: 7225487
Conc: 246.88 ug/L




#5 Tetryl

R.T.: 33.777 min
Delta R.T.: 0.005 min
Response: 10547679
Conc: 481.07 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 32.152 min
Delta R.T.: -0.007 min
Response: 6752210
Conc: 246.73 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.722 min
Delta R.T.: -0.008 min
Response: 11814287
Conc: 232.74 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.722 min
Delta R.T.: -0.008 min
Response: 11814287
Conc: 232.74 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.123 min
Delta R.T.: -0.014 min
Response: 9300566
Conc: 239.04 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.727 min
Delta R.T.: -0.012 min
Response: 4806034
Conc: 238.15 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.364 min
Delta R.T.: -0.007 min
Response: 9466995
Conc: 230.40 ug/L




#12 Nitrobenzene

R.T.: 11.991 min
Delta R.T.: -0.004 min
Response: 6366840
Conc: 233.39 ug/L




#13 2-Nitrotoluene

R.T.: 16.311 min
Delta R.T.: -0.007 min
Response: 8199140
Conc: 471.90 ug/L




#14 3-Nitrotoluene

R.T.: 17.501 min
Delta R.T.: -0.008 min
Response: 8972939
Conc: 464.59 ug/L



#15 4-Nitrotoluene

R.T.: 16.826 min
Delta R.T.: -0.008 min
Response: 7070748
Conc: 469.15 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.301 min
Delta R.T.: -0.006 min
Response: 16232421
Conc: 459.17 ug/L