

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000451.D Vial: 6
 Acq On : 15-Aug-2012, 16:56 Operator: HLM
 Sample : 8330-2 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Aug 16 10:23 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330VWDC.M

Volume Inj. :
 Signal Phase :
 Signal Info :


	Compound	R.T.	Response	Conc Units


System Monitoring Compounds				
1) S	4-Nitroaniline	7.52	981726	94.209 ug/L
Target Compounds				
2) T	HMX	12.55	988724	92.114 ug/L
3) T	RDX	10.50	1331950	94.990 ug/L
4) T	1,3,5-Trinitrobenzene	24.08	1723569	58.891 ug/L
5) T	Tetryl	33.73	2159556	98.496 ug/L
6) T	2,4,6-Trinitrotoluene	32.15	1957569	71.532 ug/L
7) T	2-Amino-4,6-dinitrotoluene	15.73	2372092	46.729 ug/L
8) T	4-Amino-2,6-dinitrotoluene	15.73	2372092	46.729 ug/L
9) T	2,4-Dinitrotoluene	21.13	1974578	50.750 ug/L
10) T	2,6-Dinitrotoluene	19.74	1087332	53.880 ug/L
11) T	1,3-Dinitrobenzene	15.37	1868036	45.462 ug/L
12) T	Nitrobenzene	11.99	1264701	46.360 ug/L
13) T	2-Nitrotoluene	16.32	1638223	94.288 ug/L
14) T	3-Nitrotoluene	17.51	1877001	97.184 ug/L
15) T	4-Nitrotoluene	16.83	1470230	97.552 ug/L
16) T	3,5-Dinitroaniline	13.31	3302470	93.418 ug/L

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000451.D Vial: 6
Acq On : 15-Aug-2012, 16:56 Operator: HLM
Sample : 8330-2 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Aug 16 10:23 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Wed May 02 10:40:51 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330VWDC.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 12.554 min
Delta R.T.: -0.004 min
Response: 988724
Conc: 92.11 ug/L




#3 RDX

R.T.: 10.500 min
Delta R.T.: 0.000 min
Response: 1331950
Conc: 94.99 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 24.076 min
Delta R.T.: -0.012 min
Response: 1723569
Conc: 58.89 ug/L




#5 Tetryl

R.T.: 33.734 min
Delta R.T.: -0.038 min
Response: 2159556
Conc: 98.50 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 32.150 min
Delta R.T.: -0.009 min
Response: 1957569
Conc: 71.53 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.731 min
Delta R.T.: 0.001 min
Response: 2372092
Conc: 46.73 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.731 min
Delta R.T.: 0.001 min
Response: 2372092
Conc: 46.73 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.129 min
Delta R.T.: -0.008 min
Response: 1974578
Conc: 50.75 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.737 min
Delta R.T.: -0.002 min
Response: 1087332
Conc: 53.88 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.371 min
Delta R.T.: 0.000 min
Response: 1868036
Conc: 45.46 ug/L




#12 Nitrobenzene

R.T.: 11.993 min
Delta R.T.: -0.002 min
Response: 1264701
Conc: 46.36 ug/L




#13 2-Nitrotoluene

R.T.: 16.318 min
Delta R.T.: 0.000 min
Response: 1638223
Conc: 94.29 ug/L




#14 3-Nitrotoluene

R.T.: 17.509 min
Delta R.T.: 0.000 min
Response: 1877001
Conc: 97.18 ug/L



#15 4-Nitrotoluene

R.T.: 16.831 min
Delta R.T.: -0.004 min
Response: 1470230
Conc: 97.55 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.309 min
Delta R.T.: 0.002 min
Response: 3302470
Conc: 93.42 ug/L