

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000453.D Vial: 8
Acq On : 15-Aug-2012, 18:41 Operator: HLM
Sample : 8330-ICV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Aug 16 10:31 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Aug 16 10:32:50 2012
Response via : Initial Calibration
DataAcq Meth : 8330VWDC.M

Volume Inj. :
Signal Phase :
Signal Info :


Compound	R.T.	Response	Conc	Units


System Monitoring Compounds				
Target Compounds				
2) T HMX	12.50	10341137	1010.898	ug/L
3) T RDX	10.45f	14149376	1050.889	ug/L
4) T 1,3,5-Trinitrobenzene	23.97	29828649	1021.909	ug/L
5) T Tetrvl	33.60	22300800	1028.763	ug/L
6) T 2,4,6-Trinitrotoluene	32.00	28488190	1065.202	ug/L
7) T 2-Amino-4,6-dinitrotoluene	15.65	49602524	1043.055	ug/L
8) T 4-Amino-2,6-dinitrotoluene	15.65	49602524	1043.055	ug/L
9) T 2,4-Dinitrotoluene	21.03	37235177	987.705	ug/L
10) T 2,6-Dinitrotoluene	19.64	19815292	1014.860	ug/L
11) T 1,3-Dinitrobenzene	15.30f	39496720	1033.931	ug/L
12) T Nitrobenzene	11.94f	26522665	1014.011	ug/L
13) T 2-Nitrotoluene	16.24	17228429	1045.177	ug/L
14) T 3-Nitrotoluene	17.43	18326743	1003.396	ug/L
15) T 4-Nitrotoluene	16.75	14641761	994.660	ug/L
16) T 3,5-Dinitroaniline	13.24f	33079619	986.892	ug/L

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000453.D Vial: 8
Acq On : 15-Aug-2012, 18:41 Operator: HLM
Sample : 8330-ICV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Aug 16 10:31 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Aug 16 10:32:50 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330VWDC.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 12.496 min
Delta R.T.: -0.064 min
Response: 10341137
Conc: 1010.90 ug/L




#3 RDX

R.T.: 10.448 min
Delta R.T.: -0.055 min
Response: 14149376
Conc: 1050.89 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 23.967 min
Delta R.T.: -0.124 min
Response: 29828649
Conc: 1021.91 ug/L




#5 Tetryl

R.T.: 33.605 min
Delta R.T.: -0.169 min
Response: 22300800
Conc: 1028.76 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 31.998 min
Delta R.T.: -0.163 min
Response: 28488190
Conc: 1065.20 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.654 min
Delta R.T.: -0.078 min
Response: 49602524
Conc: 1043.05 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.654 min
Delta R.T.: -0.078 min
Response: 49602524
Conc: 1043.05 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.031 min
Delta R.T.: -0.108 min
Response: 37235177
Conc: 987.71 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.642 min
Delta R.T.: -0.099 min
Response: 19815292
Conc: 1014.86 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.296 min
Delta R.T.: -0.077 min
Response: 39496720
Conc: 1033.93 ug/L




#12 Nitrobenzene

R.T.: 11.936 min
Delta R.T.: -0.061 min
Response: 26522665
Conc: 1014.01 ug/L




#13 2-Nitrotoluene

R.T.: 16.239 min
Delta R.T.: -0.081 min
Response: 17228429
Conc: 1045.18 ug/L




#14 3-Nitrotoluene

R.T.: 17.425 min
Delta R.T.: -0.086 min
Response: 18326743
Conc: 1003.40 ug/L



#15 4-Nitrotoluene

R.T.: 16.752 min
Delta R.T.: -0.083 min
Response: 14641761
Conc: 994.66 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.243 min
Delta R.T.: -0.066 min
Response: 33079619
Conc: 986.89 ug/L