

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000455.D Vial: 9
 Acq On : 15-Aug-2012, 20:26 Operator: HLM
 Sample : D3717-01RE Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Aug 16 10:35 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Thu Aug 16 10:37:27 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330VWDC.M

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc Units


System Monitoring Compounds				
1) S	4-Nitroaniline	7.49	3008787	305.656 ug/L
Target Compounds				
2) T	HMX	12.49	6766653	661.474 ug/L
3) T	RDX	10.45	4276127	317.592 ug/L
4) T	1,3,5-Trinitrobenzene	23.96	8616452	295.194 ug/L
6) T	2,4,6-Trinitrotoluene	31.99	13610963	508.928 ug/L
7) T	2-Amino-4,6-dinitrotoluene	15.66	28156532	592.083 ug/L
8) T	4-Amino-2,6-dinitrotoluene	15.66	28156532	592.083 ug/L
9) T	2,4-Dinitrotoluene	21.03	20420640	541.681 ug/L
10) T	2,6-Dinitrotoluene	19.64	7806895	399.838 ug/L
12) T	Nitrobenzene	11.93	26329586	1006.630 ug/L
13) T	2-Nitrotoluene	16.24	8777282	532.481 ug/L
14) T	3-Nitrotoluene	17.42	13942907	763.379 ug/L
15) T	4-Nitrotoluene	16.75	10937894	743.045 ug/L


Quantitation Report

Data File : H:\VOL1\HPLC\HPLC N\120815\HN000455.D Vial: 9
 Acq On : 15-Aug-2012, 20:26 Operator: HLM
 Sample : D3717-01RE Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Aug 16 10:35 2012 Quant Results File: HN081512.RES

Quant Method : H:\VOL1\HPLC\HPLC N\METHODS\HN081512.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Thu Aug 16 10:37:27 2012
 Response via : Multiple Level Calibration
 DataAcq Meth : 8330VWDC.M


Volume Inj. :
 Signal Phase :
 Signal Info :






#2 HMX

R.T.: 12.494 min
Delta R.T.: 0.021 min
Response: 6766653
Conc: 661.47 ug/L




#3 RDX

R.T.: 10.446 min
Delta R.T.: 0.009 min
Response: 4276127
Conc: 317.59 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 23.962 min
Delta R.T.: 0.033 min
Response: 8616452
Conc: 295.19 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 31.986 min
Delta R.T.: 0.044 min
Response: 13610963
Conc: 508.93 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.656 min
Delta R.T.: 0.021 min
Response: 28156532
Conc: 592.08 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.656 min
Delta R.T.: 0.021 min
Response: 28156532
Conc: 592.08 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.030 min
Delta R.T.: 0.022 min
Response: 20420640
Conc: 541.68 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.641 min
Delta R.T.: 0.020 min
Response: 7806895
Conc: 399.84 ug/L




#12 Nitrobenzene

R.T.: 11.933 min
Delta R.T.: 0.005 min
Response: 26329586
Conc: 1006.63 ug/L




#13 2-Nitrotoluene

R.T.: 16.237 min
Delta R.T.: 0.009 min
Response: 8777282
Conc: 532.48 ug/L



#14 3-Nitrotoluene

R.T.: 17.424 min
Delta R.T.: 0.010 min
Response: 13942907
Conc: 763.38 ug/L



#15 4-Nitrotoluene

R.T.: 16.751 min
Delta R.T.: 0.009 min
Response: 10937894
Conc: 743.05 ug/L