

Data File : H:\VOL1\HPLC\HPLC_N\120815\HN000457.D
 Acq On : 15-Aug-2012, 22:12
 Sample : 8330-CCV
 Misc :
 IntFile : events.e

Vial: 4
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Thu Aug 16 10:32:31 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	9.844	10.256 E3	-4.2	0#	0.00
2 T	HMX	10.230	11.089 E3	-8.4	0#	0.00
3 T	RDX	13.464	13.990 E3	-3.9	0#	0.00
4 T	1,3,5-Trinitrobenzene	29.189	30.034 E3	-2.9	0#	0.00
5 T	Tetryl	21.677	22.279 E3	-2.8	0#	0.00
6 T	2,4,6-Trinitrotoluene	26.744	28.068 E3	-5.0	0#	0.00
7 T	2-Amino-4,6-dinitrotoluene	47.555	50.503 E3	-6.2	0#	0.00
8 T	4-Amino-2,6-dinitrotoluene	47.555	50.503 E3	-6.2	0#	0.00
9 T	2,4-Dinitrotoluene	37.699	39.290 E3	-4.2	0#	0.00
10 T	2,6-Dinitrotoluene	19.525	20.313 E3	-4.0	0#	0.00
11 T	1,3-Dinitrobenzene	38.201	40.538 E3	-6.1	0#	0.00
12 T	Nitrobenzene	26.156	27.281 E3	-4.3	0#	0.00
13 T	2-Nitrotoluene	16.484	17.469 E3	-6.0	0#	0.00
14 T	3-Nitrotoluene	18.265	18.939 E3	-3.7	0#	0.00
15 T	4-Nitrotoluene	14.720	15.056 E3	-2.3	0#	0.00
16 T	3,5-Dinitroaniline	33.519	35.266 E3	-5.2	0#	0.00

Data File : H:\VOL1\HPLC\HPLC_N\120815\HN000457.D Vial: 4
Acq On : 15-Aug-2012, 22:12 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Aug 16 10:32:31 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	0.000	0.000	0.0	0#	-23.08#
18 T	PETN	0.000	0.000	0.0	0#	-0.09