

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000447.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 13:25
 Operator : HLM
 Sample : 8330-6
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:26:32 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc	Units

System Monitoring Compounds				
1) S 4-Nitroaniline	7.483f	49273337	4728.403	ug/L m
Target Compounds				
2) T HMX	12.492	51319818	4781.164	ug/L
3) T RDX	10.445f	67555760	4817.836	ug/L
4) T 1,3,5-Trinitrobenzene	23.959	70695544	2415.540	ug/L
5) T Tetryl	33.611	108636417	4954.834	ug/L
6) T 2,4,6-Trinitrotoluene	31.998	66752349	2439.209	ug/L
7) T 2-Amino-4,6-dinitroto...	15.647	120539512	2374.591	ug/L
8) T 4-Amino-2,6-dinitroto...	15.647	120539512	2374.591	ug/L
9) T 2,4-Dinitrotoluene	21.020	94285579	2423.294	ug/L
10) T 2,6-Dinitrotoluene	19.631	48673285	2411.862	ug/L
11) T 1,3-Dinitrobenzene	15.288f	97556229	2374.203	ug/L
12) T Nitrobenzene	11.928f	65861695	2414.274	ug/L
13) T 2-Nitrotoluene	16.229f	84162868	4843.985	ug/L
14) T 3-Nitrotoluene	17.415f	90774142	4699.963	ug/L
15) T 4-Nitrotoluene	16.742f	71738431	4759.949	ug/L
16) T 3,5-Dinitroaniline	13.237f	166289507	4703.862	ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000447.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 13:25
Operator : HLM
Sample : 8330-6
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:26:32 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed May 02 10:40:51 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.483 min
Delta R.T.: -0.041 min
Response: 49273337
Conc: 4728.40 ug/L m




#2 HMX

R.T.: 12.492 min
Delta R.T.: -0.065 min
Response: 51319818
Conc: 4781.16 ug/L




#3 RDX

R.T.: 10.445 min
Delta R.T.: -0.056 min
Response: 67555760
Conc: 4817.84 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 23.959 min
Delta R.T.: -0.129 min
Response: 70695544
Conc: 2415.54 ug/L




#5 Tetryl

R.T.: 33.611 min
Delta R.T.: -0.161 min
Response: 108636417
Conc: 4954.83 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 31.998 min
Delta R.T.: -0.161 min
Response: 66752349
Conc: 2439.21 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.647 min
Delta R.T.: -0.083 min
Response: 120539512
Conc: 2374.59 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.647 min
Delta R.T.: -0.083 min
Response: 120539512
Conc: 2374.59 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.020 min
Delta R.T.: -0.117 min
Response: 94285579
Conc: 2423.29 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.631 min
Delta R.T.: -0.107 min
Response: 48673285
Conc: 2411.86 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.288 min
Delta R.T.: -0.083 min
Response: 97556229
Conc: 2374.20 ug/L




#12 Nitrobenzene

R.T.: 11.928 min
Delta R.T.: -0.066 min
Response: 65861695
Conc: 2414.27 ug/L




#13 2-Nitrotoluene

R.T.: 16.229 min
Delta R.T.: -0.089 min
Response: 84162868
Conc: 4843.98 ug/L




#14 3-Nitrotoluene

R.T.: 17.415 min
Delta R.T.: -0.095 min
Response: 90774142
Conc: 4699.96 ug/L



#15 4-Nitrotoluene

R.T.: 16.742 min
Delta R.T.: -0.092 min
Response: 71738431
Conc: 4759.95 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.237 min
Delta R.T.: -0.070 min
Response: 166289507
Conc: 4703.86 ug/L