

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000448.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 14:18
 Operator : HLM
 Sample : 8330-5
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:26:38 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc	Units

System Monitoring Compounds					
1) S	4-Nitroaniline	7.522	19827380	1902.689	ug/L
Target Compounds					
2) T	HMX	12.553	20253982	1886.944	ug/L
3) T	RDX	10.497	27015336	1926.637	ug/L
4) T	1,3,5-Trinitrobenzene	24.083	28498353	973.738	ug/L
5) T	Tetryl	33.771	43527696	1985.269	ug/L
6) T	2,4,6-Trinitrotoluene	32.155	27047593	988.351	ug/L
7) T	2-Amino-4,6-dinitroto...	15.726	48280053	951.102	ug/L
8) T	4-Amino-2,6-dinitroto...	15.726	48280053	951.102	ug/L
9) T	2,4-Dinitrotoluene	21.131	37789117	971.242	ug/L
10) T	2,6-Dinitrotoluene	19.733	19522412	967.376	ug/L
11) T	1,3-Dinitrobenzene	15.367	38983375	948.729	ug/L
12) T	Nitrobenzene	11.988	26199065	960.372	ug/L
13) T	2-Nitrotoluene	16.313	33619332	1934.957	ug/L
14) T	3-Nitrotoluene	17.504	36237644	1876.257	ug/L
15) T	4-Nitrotoluene	16.828	28699622	1904.261	ug/L
16) T	3,5-Dinitroaniline	13.303	65891575	1863.887	ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000448.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 14:18
Operator : HLM
Sample : 8330-5
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:26:38 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed May 02 10:40:51 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.522 min
Delta R.T.: -0.001 min
Response: 19827380
Conc: 1902.69 ug/L




#2 HMX

R.T.: 12.553 min
Delta R.T.: -0.004 min
Response: 20253982
Conc: 1886.94 ug/L




#3 RDX

R.T.: 10.497 min
Delta R.T.: -0.004 min
Response: 27015336
Conc: 1926.64 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 24.083 min
Delta R.T.: -0.005 min
Response: 28498353
Conc: 973.74 ug/L




#5 Tetryl

R.T.: 33.771 min
Delta R.T.: 0.000 min
Response: 43527696
Conc: 1985.27 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 32.155 min
Delta R.T.: -0.005 min
Response: 27047593
Conc: 988.35 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.726 min
Delta R.T.: -0.003 min
Response: 48280053
Conc: 951.10 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.726 min
Delta R.T.: -0.003 min
Response: 48280053
Conc: 951.10 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.131 min
Delta R.T.: -0.006 min
Response: 37789117
Conc: 971.24 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.733 min
Delta R.T.: -0.005 min
Response: 19522412
Conc: 967.38 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.367 min
Delta R.T.: -0.004 min
Response: 38983375
Conc: 948.73 ug/L




#12 Nitrobenzene

R.T.: 11.988 min
Delta R.T.: -0.006 min
Response: 26199065
Conc: 960.37 ug/L




#13 2-Nitrotoluene

R.T.: 16.313 min
Delta R.T.: -0.005 min
Response: 33619332
Conc: 1934.96 ug/L




#14 3-Nitrotoluene

R.T.: 17.504 min
Delta R.T.: -0.005 min
Response: 36237644
Conc: 1876.26 ug/L



#15 4-Nitrotoluene

R.T.: 16.828 min
Delta R.T.: -0.006 min
Response: 28699622
Conc: 1904.26 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.303 min
Delta R.T.: -0.004 min
Response: 65891575
Conc: 1863.89 ug/L