

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000449.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 15:11
 Operator : HLM
 Sample : 8330-4
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:26:44 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
1) S	4-Nitroaniline	7.526	10180319	976.931 ug/L
Target Compounds				
2) T	HMX	12.559	10682691	995.243 ug/L
3) T	RDX	10.503	14050678	1002.044 ug/L
4) T	1,3,5-Trinitrobenzene	24.091	14548371	497.092 ug/L
5) T	Tetryl	33.774	22353042	1019.507 ug/L
6) T	2,4,6-Trinitrotoluene	32.161	13971997	510.553 ug/L
7) T	2-Amino-4,6-dinitroto...	15.732	25016242	492.812 ug/L
8) T	4-Amino-2,6-dinitroto...	15.732	25016242	492.812 ug/L
9) T	2,4-Dinitrotoluene	21.139	19616930	504.187 ug/L
10) T	2,6-Dinitrotoluene	19.741	10135753	502.248 ug/L
11) T	1,3-Dinitrobenzene	15.373	20074840	488.557 ug/L
12) T	Nitrobenzene	11.997	13571769	497.496 ug/L
13) T	2-Nitrotoluene	16.320	17379868	1000.296 ug/L
14) T	3-Nitrotoluene	17.512	18784333	972.586 ug/L
15) T	4-Nitrotoluene	16.836	14878014	987.178 ug/L
16) T	3,5-Dinitroaniline	13.309	34513116	976.279 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000449.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 15:11
Operator : HLM
Sample : 8330-4
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:26:44 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed May 02 10:40:51 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.526 min
Delta R.T.: 0.002 min
Response: 10180319
Conc: 976.93 ug/L




#2 HMX

R.T.: 12.559 min
Delta R.T.: 0.002 min
Response: 10682691
Conc: 995.24 ug/L




#3 RDX

R.T.: 10.503 min
Delta R.T.: 0.002 min
Response: 14050678
Conc: 1002.04 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 24.091 min
Delta R.T.: 0.003 min
Response: 14548371
Conc: 497.09 ug/L




#5 Tetryl

R.T.: 33.774 min
Delta R.T.: 0.003 min
Response: 22353042
Conc: 1019.51 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 32.161 min
Delta R.T.: 0.001 min
Response: 13971997
Conc: 510.55 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.732 min
Delta R.T.: 0.002 min
Response: 25016242
Conc: 492.81 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.732 min
Delta R.T.: 0.002 min
Response: 25016242
Conc: 492.81 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.139 min
Delta R.T.: 0.002 min
Response: 19616930
Conc: 504.19 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.741 min
Delta R.T.: 0.003 min
Response: 10135753
Conc: 502.25 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.373 min
Delta R.T.: 0.002 min
Response: 20074840
Conc: 488.56 ug/L




#12 Nitrobenzene

R.T.: 11.997 min
Delta R.T.: 0.002 min
Response: 13571769
Conc: 497.50 ug/L




#13 2-Nitrotoluene

R.T.: 16.320 min
 Delta R.T.: 0.002 min
 Response: 17379868
 Conc: 1000.30 ug/L




#14 3-Nitrotoluene

R.T.: 17.512 min
 Delta R.T.: 0.002 min
 Response: 18784333
 Conc: 972.59 ug/L



#15 4-Nitrotoluene

R.T.: 16.836 min
 Delta R.T.: 0.001 min
 Response: 14878014
 Conc: 987.18 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.309 min
 Delta R.T.: 0.002 min
 Response: 34513116
 Conc: 976.28 ug/L