

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000450.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 16:03
 Operator : HLM
 Sample : 8330-3
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:26:50 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
1) S	4-Nitroaniline	7.524	4875919	467.906 ug/L
Target Compounds				
2) T	HMX	12.550	4890048	455.577 ug/L
3) T	RDX	10.498	6643541	473.794 ug/L
4) T	1,3,5-Trinitrobenzene	24.072	7225487	246.882 ug/L
5) T	Tetryl	33.777	10547679	481.073 ug/L
6) T	2,4,6-Trinitrotoluene	32.152	6752210	246.734 ug/L
7) T	2-Amino-4,6-dinitroto...	15.722	11814287	232.738 ug/L
8) T	4-Amino-2,6-dinitroto...	15.722	11814287	232.738 ug/L
9) T	2,4-Dinitrotoluene	21.123	9300566	239.040 ug/L
10) T	2,6-Dinitrotoluene	19.727	4806034	238.149 ug/L
11) T	1,3-Dinitrobenzene	15.364	9466995	230.396 ug/L
12) T	Nitrobenzene	11.991	6366840	233.387 ug/L
13) T	2-Nitrotoluene	16.311	8199140	471.901 ug/L
14) T	3-Nitrotoluene	17.501	8972939	464.587 ug/L
15) T	4-Nitrotoluene	16.826	7070748	469.154 ug/L
16) T	3,5-Dinitroaniline	13.301	16232421	459.170 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000450.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 16:03
Operator : HLM
Sample : 8330-3
Misc :
ALS Vial : 5 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:26:50 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed May 02 10:40:51 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.524 min
 Delta R.T.: 0.000 min
 Response: 4875919
 Conc: 467.91 ug/L




#2 HMX

R.T.: 12.550 min
 Delta R.T.: -0.007 min
 Response: 4890048
 Conc: 455.58 ug/L




#3 RDX

R.T.: 10.498 min
 Delta R.T.: -0.003 min
 Response: 6643541
 Conc: 473.79 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 24.072 min
 Delta R.T.: -0.016 min
 Response: 7225487
 Conc: 246.88 ug/L




#5 Tetryl

R.T.: 33.777 min
Delta R.T.: 0.005 min
Response: 10547679
Conc: 481.07 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 32.152 min
Delta R.T.: -0.007 min
Response: 6752210
Conc: 246.73 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.722 min
Delta R.T.: -0.008 min
Response: 11814287
Conc: 232.74 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.722 min
Delta R.T.: -0.008 min
Response: 11814287
Conc: 232.74 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.123 min
Delta R.T.: -0.014 min
Response: 9300566
Conc: 239.04 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.727 min
Delta R.T.: -0.012 min
Response: 4806034
Conc: 238.15 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.364 min
Delta R.T.: -0.007 min
Response: 9466995
Conc: 230.40 ug/L




#12 Nitrobenzene

R.T.: 11.991 min
Delta R.T.: -0.004 min
Response: 6366840
Conc: 233.39 ug/L




#13 2-Nitrotoluene

R.T.: 16.311 min
Delta R.T.: -0.007 min
Response: 8199140
Conc: 471.90 ug/L




#14 3-Nitrotoluene

R.T.: 17.501 min
Delta R.T.: -0.008 min
Response: 8972939
Conc: 464.59 ug/L



#15 4-Nitrotoluene

R.T.: 16.826 min
Delta R.T.: -0.008 min
Response: 7070748
Conc: 469.15 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.301 min
Delta R.T.: -0.006 min
Response: 16232421
Conc: 459.17 ug/L