

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000452.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 17:48
 Operator : HLM
 Sample : 8330-1
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:27:06 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed May 02 10:40:51 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
1) S	4-Nitroaniline	7.478f	190889	18.318 ug/L m
Target Compounds				
2) T	HMX	12.494	212739	19.820 ug/L m
3) T	RDX	10.445f	262182	18.698 ug/L m
4) T	1,3,5-Trinitrobenzene	23.960	258882	8.846 ug/L m
5) T	Tetryl	33.621	430574	19.638 ug/L m
6) T	2,4,6-Trinitrotoluene	32.068	264039	9.648 ug/L m
7) T	2-Amino-4,6-dinitroto...	15.658	441029	8.688 ug/L
8) T	4-Amino-2,6-dinitroto...	15.658	441029	8.688 ug/L
9) T	2,4-Dinitrotoluene	21.012f	368613	9.474 ug/L m
10) T	2,6-Dinitrotoluene	19.630	188319	9.332 ug/L m
11) T	1,3-Dinitrobenzene	15.299f	358190	8.717 ug/L
12) T	Nitrobenzene	11.950f	264884	9.710 ug/L
13) T	2-Nitrotoluene	16.208f	301998	17.381 ug/L m
14) T	3-Nitrotoluene	17.410f	356288	18.447 ug/L m
15) T	4-Nitrotoluene	16.734f	318057	21.104 ug/L m
16) T	3,5-Dinitroaniline	13.247	698150	19.749 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000452.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 17:48
Operator : HLM
Sample : 8330-1
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:27:06 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed May 02 10:40:51 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.478 min
Delta R.T.: -0.046 min
Response: 190889
Conc: 18.32 ug/L m




#2 HMX

R.T.: 12.494 min
Delta R.T.: -0.064 min
Response: 212739
Conc: 19.82 ug/L m




#3 RDX

R.T.: 10.445 min
Delta R.T.: -0.056 min
Response: 262182
Conc: 18.70 ug/L m




#4 1,3,5-Trinitrobenzene

R.T.: 23.960 min
Delta R.T.: -0.128 min
Response: 258882
Conc: 8.85 ug/L m




#5 Tetryl

R.T.: 33.621 min
Delta R.T.: -0.150 min
Response: 430574
Conc: 19.64 ug/L m




#6 2,4,6-Trinitrotoluene

R.T.: 32.068 min
Delta R.T.: -0.091 min
Response: 264039
Conc: 9.65 ug/L m




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.658 min
Delta R.T.: -0.072 min
Response: 441029
Conc: 8.69 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.658 min
Delta R.T.: -0.072 min
Response: 441029
Conc: 8.69 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.012 min
Delta R.T.: -0.126 min
Response: 368613
Conc: 9.47 ug/L m




#10 2,6-Dinitrotoluene

R.T.: 19.630 min
Delta R.T.: -0.108 min
Response: 188319
Conc: 9.33 ug/L m




#11 1,3-Dinitrobenzene

R.T.: 15.299 min
Delta R.T.: -0.072 min
Response: 358190
Conc: 8.72 ug/L




#12 Nitrobenzene

R.T.: 11.950 min
Delta R.T.: -0.045 min
Response: 264884
Conc: 9.71 ug/L




#13 2-Nitrotoluene

R.T.: 16.208 min
Delta R.T.: -0.110 min
Response: 301998
Conc: 17.38 ug/L m




#14 3-Nitrotoluene

R.T.: 17.410 min
Delta R.T.: -0.099 min
Response: 356288
Conc: 18.45 ug/L m



#15 4-Nitrotoluene

R.T.: 16.734 min
Delta R.T.: -0.100 min
Response: 318057
Conc: 21.10 ug/L m



#16 3,5-Dinitroaniline

R.T.: 13.247 min
Delta R.T.: -0.060 min
Response: 698150
Conc: 19.75 ug/L