

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000453.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 18:41
 Operator : HLM
 Sample : 8330-ICV
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:27:12 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Aug 16 10:32:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound		R.T.	Response	Conc	Units

System Monitoring Compounds					
Target Compounds					
2) T	HMX	12.496	10341137	1010.898	ug/L
3) T	RDX	10.448f	14149376	1050.889	ug/L
4) T	1,3,5-Trinitrobenzene	23.967	29828649	1021.909	ug/L
5) T	Tetryl	33.605	22300800	1028.763	ug/L
6) T	2,4,6-Trinitrotoluene	31.998	28488190	1065.202	ug/L
7) T	2-Amino-4,6-dinitroto...	15.654	49602524	1043.055	ug/L
8) T	4-Amino-2,6-dinitroto...	15.654	49602524	1043.055	ug/L
9) T	2,4-Dinitrotoluene	21.031	37235177	987.705	ug/L
10) T	2,6-Dinitrotoluene	19.642	19815292	1014.860	ug/L
11) T	1,3-Dinitrobenzene	15.296f	39496720	1033.931	ug/L
12) T	Nitrobenzene	11.936f	26522665	1014.011	ug/L
13) T	2-Nitrotoluene	16.239	17228429	1045.177	ug/L
14) T	3-Nitrotoluene	17.425	18326743	1003.396	ug/L
15) T	4-Nitrotoluene	16.752	14641761	994.660	ug/L
16) T	3,5-Dinitroaniline	13.243f	33079619	986.892	ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000453.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 18:41
Operator : HLM
Sample : 8330-ICV
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:27:12 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu Aug 16 10:32:50 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 0.000 min
Exp R.T.: 7.526 min
Response: 0
Conc: N.D.




#2 HMX

R.T.: 12.496 min
Delta R.T.: -0.064 min
Response: 10341137
Conc: 1010.90 ug/L




#3 RDX

R.T.: 10.448 min
Delta R.T.: -0.055 min
Response: 14149376
Conc: 1050.89 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 23.967 min
Delta R.T.: -0.124 min
Response: 29828649
Conc: 1021.91 ug/L




#5 Tetryl

R.T.: 33.605 min
Delta R.T.: -0.169 min
Response: 22300800
Conc: 1028.76 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 31.998 min
Delta R.T.: -0.163 min
Response: 28488190
Conc: 1065.20 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.654 min
Delta R.T.: -0.078 min
Response: 49602524
Conc: 1043.05 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.654 min
Delta R.T.: -0.078 min
Response: 49602524
Conc: 1043.05 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.031 min
Delta R.T.: -0.108 min
Response: 37235177
Conc: 987.71 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.642 min
Delta R.T.: -0.099 min
Response: 19815292
Conc: 1014.86 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.296 min
Delta R.T.: -0.077 min
Response: 39496720
Conc: 1033.93 ug/L




#12 Nitrobenzene

R.T.: 11.936 min
Delta R.T.: -0.061 min
Response: 26522665
Conc: 1014.01 ug/L




#13 2-Nitrotoluene

R.T.: 16.239 min
Delta R.T.: -0.081 min
Response: 17228429
Conc: 1045.18 ug/L




#14 3-Nitrotoluene

R.T.: 17.425 min
Delta R.T.: -0.086 min
Response: 18326743
Conc: 1003.40 ug/L



#15 4-Nitrotoluene

R.T.: 16.752 min
Delta R.T.: -0.083 min
Response: 14641761
Conc: 994.66 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.243 min
Delta R.T.: -0.066 min
Response: 33079619
Conc: 986.89 ug/L