

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000454.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 19:34
 Operator : HLM
 Sample : 8330-MRL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:27:20 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Aug 16 10:32:50 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
1) S	4-Nitroaniline	7.484f	184255	18.718 ug/L m
Target Compounds				
2) T	HMX	12.532	203478	19.891 ug/L m
3) T	RDX	10.435f	244082	18.128 ug/L m
4) T	1,3,5-Trinitrobenzene	23.974	302119	10.350 ug/L m
5) T	Tetryl	33.640	420024	19.376 ug/L m
6) T	2,4,6-Trinitrotoluene	31.978	224137	8.381 ug/L m
7) T	2-Amino-4,6-dinitroto...	15.662	431128	9.066 ug/L
8) T	4-Amino-2,6-dinitroto...	15.662	431128	9.066 ug/L
9) T	2,4-Dinitrotoluene	21.014f	338016	8.966 ug/L
10) T	2,6-Dinitrotoluene	19.612f	183131	9.379 ug/L m
11) T	1,3-Dinitrobenzene	15.299f	357328	9.354 ug/L
12) T	Nitrobenzene	11.927f	268486	10.265 ug/L
13) T	2-Nitrotoluene	16.251	297365	18.040 ug/L m
14) T	3-Nitrotoluene	17.418f	360194	19.721 ug/L m
15) T	4-Nitrotoluene	16.758	306949	20.852 ug/L m
16) T	3,5-Dinitroaniline	13.236f	691960	20.644 ug/L m


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000454.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 19:34
Operator : HLM
Sample : 8330-MRL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:27:20 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu Aug 16 10:32:50 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.484 min
Delta R.T.: -0.042 min
Response: 184255
Conc: 18.72 ug/L m




#2 HMX

R.T.: 12.532 min
Delta R.T.: -0.027 min
Response: 203478
Conc: 19.89 ug/L m




#3 RDX

R.T.: 10.435 min
Delta R.T.: -0.068 min
Response: 244082
Conc: 18.13 ug/L m




#4 1,3,5-Trinitrobenzene

R.T.: 23.974 min
Delta R.T.: -0.117 min
Response: 302119
Conc: 10.35 ug/L m




#5 Tetryl

R.T.: 33.640 min
Delta R.T.: -0.134 min
Response: 420024
Conc: 19.38 ug/L m




#6 2,4,6-Trinitrotoluene

R.T.: 31.978 min
Delta R.T.: -0.183 min
Response: 224137
Conc: 8.38 ug/L m




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.662 min
Delta R.T.: -0.070 min
Response: 431128
Conc: 9.07 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.662 min
Delta R.T.: -0.070 min
Response: 431128
Conc: 9.07 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.014 min
Delta R.T.: -0.125 min
Response: 338016
Conc: 8.97 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.612 min
Delta R.T.: -0.130 min
Response: 183131
Conc: 9.38 ug/L m




#11 1,3-Dinitrobenzene

R.T.: 15.299 min
Delta R.T.: -0.074 min
Response: 357328
Conc: 9.35 ug/L




#12 Nitrobenzene

R.T.: 11.927 min
Delta R.T.: -0.070 min
Response: 268486
Conc: 10.26 ug/L




#13 2-Nitrotoluene

R.T.: 16.251 min
Delta R.T.: -0.069 min
Response: 297365
Conc: 18.04 ug/L m




#14 3-Nitrotoluene

R.T.: 17.418 min
Delta R.T.: -0.094 min
Response: 360194
Conc: 19.72 ug/L m



#15 4-Nitrotoluene

R.T.: 16.758 min
Delta R.T.: -0.078 min
Response: 306949
Conc: 20.85 ug/L m



#16 3,5-Dinitroaniline

R.T.: 13.236 min
Delta R.T.: -0.074 min
Response: 691960
Conc: 20.64 ug/L m