

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
 Data File : HN000457.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Aug-2012, 22:12
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 22 01:27:38 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Aug 16 10:37:27 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc	Units

System Monitoring Compounds					
1) S	4-Nitroaniline	7.483	10255527	1041.836	ug/L
Target Compounds					
2) T	HMX	12.473	11088600	1083.966	ug/L
3) T	RDX	10.438	13990039	1039.055	ug/L
4) T	1,3,5-Trinitrobenzene	23.929	15016913	514.469	ug/L
5) T	Tetryl	33.541	22278722	1027.744	ug/L
6) T	2,4,6-Trinitrotoluene	31.943	14033956	524.744	ug/L
7) T	2-Amino-4,6-dinitroto...	15.635	25251642	530.998	ug/L
8) T	4-Amino-2,6-dinitroto...	15.635	25251642	530.998	ug/L
9) T	2,4-Dinitrotoluene	21.009	19645182	521.111	ug/L
10) T	2,6-Dinitrotoluene	19.621	10156453	520.173	ug/L
11) T	1,3-Dinitrobenzene	15.281	20268887	530.592	ug/L
12) T	Nitrobenzene	11.928	13640256	521.493	ug/L
13) T	2-Nitrotoluene	16.229	17468509	1059.741	ug/L
14) T	3-Nitrotoluene	17.414	18939312	1036.935	ug/L
15) T	4-Nitrotoluene	16.742	15056441	1022.831	ug/L
16) T	3,5-Dinitroaniline	13.227	35265960	1052.119	ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN081512\
Data File : HN000457.D
Signal(s) : VWD1A.CH
Acq On : 15-Aug-2012, 22:12
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 22 01:27:38 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu Aug 16 10:37:27 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 7.483 min
Delta R.T.: 0.002 min
Response: 10255527
Conc: 1041.84 ug/L




#2 HMX

R.T.: 12.473 min
Delta R.T.: 0.000 min
Response: 11088600
Conc: 1083.97 ug/L




#3 RDX

R.T.: 10.438 min
Delta R.T.: 0.000 min
Response: 13990039
Conc: 1039.05 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 23.929 min
Delta R.T.: 0.000 min
Response: 15016913
Conc: 514.47 ug/L




#5 Tetryl

R.T.: 33.541 min
Delta R.T.: 0.000 min
Response: 22278722
Conc: 1027.74 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 31.943 min
Delta R.T.: 0.000 min
Response: 14033956
Conc: 524.74 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.635 min
Delta R.T.: 0.000 min
Response: 25251642
Conc: 531.00 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 15.635 min
Delta R.T.: 0.000 min
Response: 25251642
Conc: 531.00 ug/L




#9 2,4-Dinitrotoluene

R.T.: 21.009 min
Delta R.T.: 0.000 min
Response: 19645182
Conc: 521.11 ug/L




#10 2,6-Dinitrotoluene

R.T.: 19.621 min
Delta R.T.: 0.000 min
Response: 10156453
Conc: 520.17 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.281 min
Delta R.T.: 0.000 min
Response: 20268887
Conc: 530.59 ug/L




#12 Nitrobenzene

R.T.: 11.928 min
Delta R.T.: 0.000 min
Response: 13640256
Conc: 521.49 ug/L




#13 2-Nitrotoluene

R.T.: 16.229 min
Delta R.T.: 0.000 min
Response: 17468509
Conc: 1059.74 ug/L




#14 3-Nitrotoluene

R.T.: 17.414 min
Delta R.T.: 0.000 min
Response: 18939312
Conc: 1036.93 ug/L



#15 4-Nitrotoluene

R.T.: 16.742 min
Delta R.T.: 0.000 min
Response: 15056441
Conc: 1022.83 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.227 min
Delta R.T.: 0.000 min
Response: 35265960
Conc: 1052.12 ug/L