

Data Path : S:\HPCHEM1\HPLC_N\Data\HN090512\
 Data File : HN000459.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Sep-2012, 15:03
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-CCV

Integration File: events.e
 Quant Time: Sep 07 02:20:15 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN081512.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Sep 06 11:16:38 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	9.844	9.790 E3	0.5	0#	0.05
2 T	HMX	10.230	9.704 E3	5.1	0#	0.10
3 T	RDX	13.464	13.377 E3	0.6	0#	0.07
4 T	1,3,5-Trinitrobenzene	29.189	27.912 E3	4.4	0#	0.18
5 T	Tetryl	21.677	21.608 E3	0.3	0#	0.33
6 T	2,4,6-Trinitrotoluene	26.744	26.170 E3	2.1	0#	0.29
7 T	2-Amino-4,6-dinitrotoluene	47.555	47.650 E3	-0.2	0#	0.12
8 T	4-Amino-2,6-dinitrotoluene	47.555	47.650 E3	-0.2	0#	0.12
9 T	2,4-Dinitrotoluene	37.699	37.398 E3	0.8	0#	0.16
10 T	2,6-Dinitrotoluene	19.525	19.653 E3	-0.7	0#	0.15
11 T	1,3-Dinitrobenzene	38.201	38.403 E3	-0.5	0#	0.10
12 T	Nitrobenzene	26.156	25.889 E3	1.0	0#	0.07
13 T	2-Nitrotoluene	16.484	16.699 E3	-1.3	0#	0.11
14 T	3-Nitrotoluene	18.265	18.055 E3	1.1	0#	0.12
15 T	4-Nitrotoluene	14.720	14.310 E3	2.8	0#	0.11
16 T	3,5-Dinitroaniline	33.519	32.804 E3	2.1	0#	0.10

Evaluate Continuing Calibration Report - Not Found

17 T	Nitroglycerin	0.000	0.000	0.0	0#	-23.08#
18 T	PETN	0.000	0.000	0.0	0#	-0.09

(#) = Out of Range

SPCC's out = 0 CCC's out = 0