

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006249.D\VWD1A.CH Vial: 6
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006249.D\VWD1A.CH
 Acq On : 30-Sep-2014, 15:32 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN093014.M
 Title :
 Last Update : Wed Oct 01 04:16:15 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	6.096	3.596 E3	41.0#	118	0.00
2 T	HMX	7.896	4.866 E3	38.4#	5159#	-0.40
3 T	RDX	11.969	4.449 E3	62.8#	117	0.00
4 T	1,3,5-Trinitrobenzene	14.068	8.807 E3	37.4#	116	0.00
5 T	1,3-Dinitrobenzene	20.867	13.569 E3	35.0#	165#	-0.55#
6 T	3,5-Dinitroaniline	16.975	9.713 E3	42.8#	113	-1.19#
7 T	Nitrobenzene	13.214	9.665 E3	26.9#	113	0.00
8 T	Tetryl	10.366	13.596 E3	-31.2#	120	0.01
9 T	2,4,6-Trinitrotoluene	13.208	8.598 E3	34.9#	119	0.01
11 T	4-Amino-2,6-dinitrotoluene	10.406	12.391 E3	-19.1	140	0.02
12 T	2,4-Dinitrotoluene	19.717	6.968 E3	64.7#	80	0.75#
14 T	2-Nitrotoluene	8.705	10.992 E3	-26.3#	226#	1.21#
15 T	4-Nitrotoluene	8.610	17.108 E3	-98.7#	177#	1.93#

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006249.D\VWD1A.CH Vial: 6
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006249.D\VWD1A.CH
 Acq On : 30-Sep-2014, 15:32 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN093014.M
 Title :
 Last Update : Wed Oct 01 04:16:15 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
10 T	2-Amino-4,6-dinitrotoluene	14.474	0.000 E3	100.0#	0#	-12.10#
13 T	2,6-Dinitrotoluene	10.853	0.000 E3	100.0#	0#	-12.82#
16 T	3-Nitrotoluene	25.500	0.000 E3	100.0#	0#	-18.94#
17 T	PETN	13.691	0.000 E3	100.0#	0#	-20.86#