

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006256.D\VWD1A.CH Vial: 16
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006256.D\VWD1A.CH
 Acq On : 30-Sep-2014, 17:28 Operator: HNP
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: AUTOINT1.E IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN093014

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0930NG.M
 Title :
 Last Update : Wed Oct 01 04:43:51 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	5.000	4.930	1.4	100	0.00
2 T	Nitroglycerin	5.000	5.100	-2.0	101	0.02

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006256.D\VWD1A.CH Vial: 16
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006256.D\VWD1A.CH
 Acq On : 30-Sep-2014, 17:28 Operator: HNP
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: AUTOINT1.E IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN093014

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0930NG.M
 Title :
 Last Update : Wed Oct 01 04:43:51 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------