

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006260.D\VWD1A.CH Vial: 13
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006260.D\VWD1A.CH
 Acq On : 30-Sep-2014, 18:16 Operator: HNP
 Sample : HSTDCCC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: AUTOINT1.E IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0930NG.M
 Title :
 Last Update : Wed Oct 01 04:43:51 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.935	3.894 E6	1.0	100	0.01
2 T	Nitroglycerin	7.520	7.930 E6	-5.5	104	0.03

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006260.D\VWD1A.CH Vial: 13
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN093014\HN006260.D\VWD1A.CH
 Acq On : 30-Sep-2014, 18:16 Operator: HNP
 Sample : HSTDCCC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: AUTOINT1.E IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0930NG.M
 Title :
 Last Update : Wed Oct 01 04:43:51 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------