

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH Vial: 6
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH
 Acq On : 02-Oct-2014, 12:37 Operator: HNP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN100214

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Fri Oct 03 10:34:01 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	461.320	7.7	115	0.00
2 T	HMX	500.000	480.658	3.9	118	0.00
3 T	RDX	500.000	501.867	-0.4	116	0.00
4 T	1,3,5-Trinitrobenzene	500.000	520.110	-4.0	116	0.00
5 T	1,3-Dinitrobenzene	500.000	511.632	-2.3	115	0.00
6 T	3,5-Dinitroaniline	500.000	515.604	-3.1	115	0.00
7 T	Nitrobenzene	500.000	506.181	-1.2	113	0.00
8 T	Tetryl	500.000	567.409	-13.5	124	0.00
9 T	2,4,6-Trinitrotoluene	500.000	516.304	-3.3	118	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	499.294	0.1	114	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	531.785	-6.4	115	0.00
12 T	2,4-Dinitrotoluene	500.000	508.304	-1.7	116	-0.01
13 T	2,6-Dinitrotoluene	500.000	513.101	-2.6	117	-0.01
14 T	2-Nitrotoluene	500.000	504.933	-1.0	118	-0.01
15 T	4-Nitrotoluene	500.000	515.376	-3.1	121	-0.02
16 T	3-Nitrotoluene	500.000	502.855	-0.6	114	-0.02
17 T	PETN	500.000	496.719	0.7	117	-0.04

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH Vial: 6
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH
 Acq On : 02-Oct-2014, 12:37 Operator: HNP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN100214

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Fri Oct 03 10:34:01 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------