

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH Vial: 6
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH
 Acq On : 02-Oct-2014, 12:37 Operator: HNP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN100214

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Fri Oct 03 10:34:01 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.667 E3	7.7	115	0.00
2 T	HMX	4.836	4.649 E3	3.9	118	0.00
3 T	RDX	5.483	5.503 E3	-0.4	116	0.00
4 T	1,3,5-Trinitrobenzene	10.724	11.156 E3	-4.0	116	0.00
5 T	1,3-Dinitrobenzene	16.374	16.755 E3	-2.3	115	0.00
6 T	3,5-Dinitroaniline	11.653	12.016 E3	-3.1	115	0.00
7 T	Nitrobenzene	10.021	10.145 E3	-1.2	113	0.00
8 T	Tetryl	6.376	7.236 E3	-13.5	124	0.00
9 T	2,4,6-Trinitrotoluene	10.737	11.087 E3	-3.3	118	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.563 E3	0.1	114	0.00
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.491 E3	-6.4	115	0.00
12 T	2,4-Dinitrotoluene	15.397	15.653 E3	-1.7	116	-0.01
13 T	2,6-Dinitrotoluene	8.476	8.698 E3	-2.6	117	-0.01
14 T	2-Nitrotoluene	6.697	6.763 E3	-1.0	118	-0.01
15 T	4-Nitrotoluene	5.474	5.642 E3	-3.1	121	-0.02
16 T	3-Nitrotoluene	6.962	7.001 E3	-0.6	114	-0.02
17 T	PETN	8.230	8.176 E3	0.7	117	-0.04

Evaluate Continuing Calibration Report - Not Founds

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH Vial: 6
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006270.D\VWD1A.CH
 Acq On : 02-Oct-2014, 12:37 Operator: HNP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN100214

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Fri Oct 03 10:34:01 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------