

Evaluate Continuing Calibration Report

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006274.D\VWD1A.CH Vial: 4
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006274.D\VWD1A.CH
 Acq On : 02-Oct-2014, 14:29 Operator: HNP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Fri Oct 03 10:34:01 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	412.709	17.5	103	0.00
2 T	HMX	500.000	420.346	15.9	103	0.00
3 T	RDX	500.000	436.291	12.7	101	0.00
4 T	1,3,5-Trinitrobenzene	500.000	454.757	9.0	102	0.00
5 T	1,3-Dinitrobenzene	500.000	450.368	9.9	101	0.00
6 T	3,5-Dinitroaniline	500.000	451.069	9.8	101	0.00
7 T	Nitrobenzene	500.000	450.903	9.8	101	0.00
8 T	Tetryl	500.000	476.097	4.8	104	0.00
9 T	2,4,6-Trinitrotoluene	500.000	416.527	16.7	95	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	438.976	12.2	100	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	490.433	1.9	106	0.00
12 T	2,4-Dinitrotoluene	500.000	444.384	11.1	102	0.00
13 T	2,6-Dinitrotoluene	500.000	442.593	11.5	101	0.01
14 T	2-Nitrotoluene	500.000	429.989	14.0	101	0.01
15 T	4-Nitrotoluene	500.000	443.639	11.3	105	0.00
16 T	3-Nitrotoluene	500.000	458.832	8.2	104	0.00
17 T	PETN	500.000	410.651	17.9	96	0.02

Evaluate Continuing Calibration Report - Not Found

Signal #1 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006274.D\VWD1A.CH Vial: 4
 Signal #2 : S:\HPCHEM1\HPLC_N\DATA\HN100214\HN006274.D\VWD1A.CH
 Acq On : 02-Oct-2014, 14:29 Operator: HNP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Fri Oct 03 10:34:01 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------