

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN100515\
 Data File : HN007570.D
 Signal(s) : vwd1A.ch
 Acq On : 05-Oct-2015, 21:32
 Operator : UM/MA
 Sample : SSTDCCC0500
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 SSTDCCC0500

Integration File: autoint1.e
 Quant Time: Oct 06 08:58:50 2015
 Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN100515.M
 Quant Title :
 QLast Update : Mon Oct 05 15:35:34 2015
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 u1
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	3.841	3.760 E3	2.1	99	0.00
2 T	HMX	4.919	4.788 E3	2.7	99	0.00
3 T	RDX	5.673	5.697 E3	-0.4	101	0.00
4 T	1,3,5-Trinitrobenzene	11.755	11.760 E3	-0.0	100	0.00
5 T	1,3-Dinitrobenzene	16.937	17.101 E3	-1.0	101	0.00
6 T	3,5-Dinitroaniline	12.305	12.427 E3	-1.0	101	0.00
7 T	Nitrobenzene	10.141	10.089 E3	0.5	100	0.00
8 T	Tetryl	7.400	7.689 E3	-3.9	102	0.00
9 T	2,4,6-Trinitrotoluene	12.040	12.052 E3	-0.1	101	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.279	11.368 E3	-0.8	104	0.00
11 T	4-Amino-2,6-dinitrotoluene	7.119	8.204 E3	-15.2	116	0.00
12 T	2,4-Dinitrotoluene	15.298	16.360 E3	-6.9	107	0.00
13 T	2,6-Dinitrotoluene	8.685	9.160 E3	-5.5	105	0.00
14 T	2-Nitrotoluene	6.393	6.512 E3	-1.9	101	0.00
15 T	4-Nitrotoluene	5.379	5.379 E3	0.0	101	-0.01
16 T	3-Nitrotoluene	6.839	6.925 E3	-1.3	102	0.00
17 T	PETN	7.805	8.717 E3	-11.7	112	-0.03

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0