

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH
 Acq On : 15-Oct-2014, 08:29 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.420 E3	14.0	108	-0.02
2 T	HMX	4.836	4.049 E3	16.3	103	-0.01
3 T	RDX	5.483	5.154 E3	6.0	109	-0.03
4 T	1,3,5-Trinitrobenzene	10.724	10.422 E3	2.8	109	-0.04
5 T	1,3-Dinitrobenzene	16.374	15.642 E3	4.5	107	-0.06
6 T	3,5-Dinitroaniline	11.653	11.072 E3	5.0	106	-0.08
7 T	Nitrobenzene	10.021	9.496 E3	5.2	106	-0.10
8 T	Tetryl	6.376	6.906 E3	-8.3	118	-0.18
9 T	2,4,6-Trinitrotoluene	10.737	10.409 E3	3.1	111	-0.16
10 T	2-Amino-4,6-dinitrotoluene	11.579	10.566 E3	8.7	104	-0.19
11 T	4-Amino-2,6-dinitrotoluene	6.103	5.948 E3	2.5	105	-0.20
12 T	2,4-Dinitrotoluene	15.397	14.580 E3	5.3	108	-0.21
13 T	2,6-Dinitrotoluene	8.476	8.094 E3	4.5	108	-0.22
14 T	2-Nitrotoluene	6.697	6.153 E3	8.1	107	-0.31
15 T	4-Nitrotoluene	5.474	5.215 E3	4.7	112	-0.31
16 T	3-Nitrotoluene	6.962	6.471 E3	7.1	106	-0.27
17 T	PETN	8.230	9.207 E3	-11.9	131	-0.48

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH
Acq On : 15-Oct-2014, 08:29 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------