

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH
 Acq On : 15-Oct-2014, 08:29 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	430.229	14.0	108	-0.02
2 T	HMX	500.000	418.644	16.3	103	-0.01
3 T	RDX	500.000	470.008	6.0	109	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	485.884	2.8	109	-0.04
5 T	1,3-Dinitrobenzene	500.000	477.640	4.5	107	-0.06
6 T	3,5-Dinitroaniline	500.000	475.086	5.0	106	-0.08
7 T	Nitrobenzene	500.000	473.789	5.2	106	-0.10
8 T	Tetryl	500.000	541.532	-8.3	118	-0.18
9 T	2,4,6-Trinitrotoluene	500.000	484.719	3.1	111	-0.16
10 T	2-Amino-4,6-dinitrotoluene	500.000	456.243	8.8	104	-0.19
11 T	4-Amino-2,6-dinitrotoluene	500.000	487.309	2.5	105	-0.20
12 T	2,4-Dinitrotoluene	500.000	473.471	5.3	108	-0.21
13 T	2,6-Dinitrotoluene	500.000	477.485	4.5	108	-0.22
14 T	2-Nitrotoluene	500.000	459.374	8.1	107	-0.31
15 T	4-Nitrotoluene	500.000	476.338	4.7	112	-0.31
16 T	3-Nitrotoluene	500.000	464.735	7.1	106	-0.27
17 T	PETN	500.000	559.324	-11.9	131	-0.48

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006299.D\VWD1A.CH
Acq On : 15-Oct-2014, 08:29 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------