

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006300.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006300.D\VWD1A.CH
 Acq On : 15-Oct-2014, 11:08 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	480.925	3.8	120	-0.02
2 T	HMX	500.000	445.991	10.8	109	-0.01
3 T	RDX	500.000	483.420	3.3	112	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	502.128	-0.4	112	-0.04
5 T	1,3-Dinitrobenzene	500.000	496.534	0.7	112	-0.06
6 T	3,5-Dinitroaniline	500.000	498.696	0.3	111	-0.08
7 T	Nitrobenzene	500.000	498.758	0.2	112	-0.09
8 T	Tetryl	500.000	562.190	-12.4	122	-0.16
9 T	2,4,6-Trinitrotoluene	500.000	507.869	-1.6	116	-0.14
10 T	2-Amino-4,6-dinitrotoluene	500.000	480.761	3.8	110	-0.17
11 T	4-Amino-2,6-dinitrotoluene	500.000	545.078	-9.0	118	-0.19
12 T	2,4-Dinitrotoluene	500.000	483.936	3.2	111	-0.19
13 T	2,6-Dinitrotoluene	500.000	515.435	-3.1	117	-0.21
14 T	2-Nitrotoluene	500.000	468.911	6.2	110	-0.29
15 T	4-Nitrotoluene	500.000	459.596	8.1	108	-0.30
16 T	3-Nitrotoluene	500.000	490.719	1.9	112	-0.24
17 T	PETN	500.000	537.049	-7.4	126	-0.48

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006300.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006300.D\VWD1A.CH
Acq On : 15-Oct-2014, 11:08 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------