

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN101514\HN006311.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN101514\HN006311.D\VWD1A.CH
 Acq On : 15-Oct-2014, 16:35 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	449.206	10.2	112	-0.02
2 T	HMX	500.000	430.412	13.9	105	-0.01
3 T	RDX	500.000	487.707	2.5	113	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	504.180	-0.8	113	-0.04
5 T	1,3-Dinitrobenzene	500.000	499.430	0.1	112	-0.06
6 T	3,5-Dinitroaniline	500.000	500.322	-0.1	112	-0.08
7 T	Nitrobenzene	500.000	496.387	0.7	111	-0.09
8 T	Tetryl	500.000	565.997	-13.2	123	-0.18
9 T	2,4,6-Trinitrotoluene	500.000	491.414	1.7	112	-0.16
10 T	2-Amino-4,6-dinitrotoluene	500.000	485.768	2.8	111	-0.19
11 T	4-Amino-2,6-dinitrotoluene	500.000	533.190	-6.6	115	-0.21
12 T	2,4-Dinitrotoluene	500.000	489.368	2.1	112	-0.21
13 T	2,6-Dinitrotoluene	500.000	479.105	4.2	109	-0.22
14 T	2-Nitrotoluene	500.000	482.166	3.6	113	-0.29
15 T	4-Nitrotoluene	500.000	489.701	2.1	115	-0.29
16 T	3-Nitrotoluene	500.000	485.597	2.9	110	-0.24
17 T	PETN	500.000	482.108	3.6	113	-0.47

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN101514\HN006311.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN101514\HN006311.D\VWD1A.CH
Acq On : 15-Oct-2014, 16:35 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------