

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006322.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006322.D\VWD1A.CH
 Acq On : 15-Oct-2014, 21:43 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	427.546	14.5	107	-0.02
2 T	HMX	500.000	433.495	13.3	106	0.00
3 T	RDX	500.000	490.487	1.9	113	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	508.223	-1.6	114	-0.04
5 T	1,3-Dinitrobenzene	500.000	501.968	-0.4	113	-0.06
6 T	3,5-Dinitroaniline	500.000	503.713	-0.7	112	-0.08
7 T	Nitrobenzene	500.000	501.571	-0.3	112	-0.09
8 T	Tetryl	500.000	564.916	-13.0	123	-0.16
9 T	2,4,6-Trinitrotoluene	500.000	500.637	-0.1	114	-0.14
10 T	2-Amino-4,6-dinitrotoluene	500.000	488.958	2.2	111	-0.16
11 T	4-Amino-2,6-dinitrotoluene	500.000	536.265	-7.3	116	-0.18
12 T	2,4-Dinitrotoluene	500.000	497.392	0.5	114	-0.18
13 T	2,6-Dinitrotoluene	500.000	490.229	2.0	111	-0.19
14 T	2-Nitrotoluene	500.000	483.493	3.3	113	-0.26
15 T	4-Nitrotoluene	500.000	488.995	2.2	115	-0.28
16 T	3-Nitrotoluene	500.000	482.596	3.5	110	-0.22
17 T	PETN	500.000	473.034	5.4	111	-0.45

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006322.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006322.D\VWD1A.CH
Acq On : 15-Oct-2014, 21:43 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------