

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006333.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006333.D\VWD1A.CH
 Acq On : 16-Oct-2014, 02:51 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.651 E3	8.2	115	-0.02
2 T	HMX	4.836	4.203 E3	13.1	106	-0.01
3 T	RDX	5.483	5.364 E3	2.2	113	-0.03
4 T	1,3,5-Trinitrobenzene	10.724	10.922 E3	-1.8	114	-0.05
5 T	1,3-Dinitrobenzene	16.374	16.477 E3	-0.6	113	-0.08
6 T	3,5-Dinitroaniline	11.653	11.777 E3	-1.1	113	-0.11
7 T	Nitrobenzene	10.021	10.002 E3	0.2	112	-0.11
8 T	Tetryl	6.376	7.164 E3	-12.4	122	-0.20
9 T	2,4,6-Trinitrotoluene	10.737	10.611 E3	1.2	113	-0.16
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.184 E3	3.4	110	-0.21
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.572 E3	-7.7	116	-0.22
12 T	2,4-Dinitrotoluene	15.397	15.060 E3	2.2	112	-0.22
13 T	2,6-Dinitrotoluene	8.476	8.082 E3	4.6	108	-0.23
14 T	2-Nitrotoluene	6.697	6.423 E3	4.1	112	-0.32
15 T	4-Nitrotoluene	5.474	5.170 E3	5.6	111	-0.32
16 T	3-Nitrotoluene	6.962	6.885 E3	1.1	112	-0.26
17 T	PETN	8.230	8.473 E3	-3.0	121	-0.49

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006333.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006333.D\VWD1A.CH
Acq On : 16-Oct-2014, 02:51 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------