

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006344.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006344.D\VWD1A.CH
 Acq On : 16-Oct-2014, 08:00 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.299 E3	17.0	104	-0.02
2 T	HMX	4.836	4.188 E3	13.4	106	-0.01
3 T	RDX	5.483	5.389 E3	1.7	114	-0.03
4 T	1,3,5-Trinitrobenzene	10.724	10.922 E3	-1.8	114	-0.05
5 T	1,3-Dinitrobenzene	16.374	16.537 E3	-1.0	113	-0.07
6 T	3,5-Dinitroaniline	11.653	11.749 E3	-0.8	113	-0.09
7 T	Nitrobenzene	10.021	9.933 E3	0.9	111	-0.09
8 T	Tetryl	6.376	7.174 E3	-12.5	122	-0.18
9 T	2,4,6-Trinitrotoluene	10.737	10.775 E3	-0.4	114	-0.15
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.213 E3	3.2	110	-0.19
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.713 E3	-10.0	119	-0.20
12 T	2,4-Dinitrotoluene	15.397	15.374 E3	0.1	114	-0.20
13 T	2,6-Dinitrotoluene	8.476	8.305 E3	2.0	111	-0.22
14 T	2-Nitrotoluene	6.697	6.526 E3	2.6	114	-0.32
15 T	4-Nitrotoluene	5.474	5.140 E3	6.1	111	-0.34
16 T	3-Nitrotoluene	6.962	6.868 E3	1.4	112	-0.28
17 T	PETN	8.230	7.345 E3	10.8	105	-0.56#

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006344.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006344.D\VWD1A.CH
Acq On : 16-Oct-2014, 08:00 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------