

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH Vial: 1
 Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH
 Acq On : 16-Oct-2014, 12:12 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.263 E3	17.9	103	-0.02
2 T	HMX	4.836	4.219 E3	12.8	107	-0.01
3 T	RDX	5.483	5.393 E3	1.6	114	-0.03
4 T	1,3,5-Trinitrobenzene	10.724	10.930 E3	-1.9	114	-0.04
5 T	1,3-Dinitrobenzene	16.374	16.432 E3	-0.4	113	-0.06
6 T	3,5-Dinitroaniline	11.653	11.744 E3	-0.8	113	-0.08
7 T	Nitrobenzene	10.021	9.927 E3	0.9	111	-0.09
8 T	Tetryl	6.376	7.123 E3	-11.7	122	-0.17
9 T	2,4,6-Trinitrotoluene	10.737	10.745 E3	-0.1	114	-0.15
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.343 E3	2.0	112	-0.18
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.667 E3	-9.2	118	-0.19
12 T	2,4-Dinitrotoluene	15.397	15.262 E3	0.9	113	-0.19
13 T	2,6-Dinitrotoluene	8.476	8.294 E3	2.1	111	-0.20
14 T	2-Nitrotoluene	6.697	6.739 E3	-0.6	118	-0.31
15 T	4-Nitrotoluene	5.474	5.312 E3	3.0	114	-0.31
16 T	3-Nitrotoluene	6.962	6.922 E3	0.6	113	-0.27
17 T	PETN	8.230	8.148 E3	1.0	116	-0.54#

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH
Acq On : 16-Oct-2014, 12:12 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------