

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH
Acq On : 16-Oct-2014, 12:12 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	410.543	17.9	103	-0.02
2 T	HMX	500.000	436.180	12.8	107	-0.01
3 T	RDX	500.000	491.875	1.6	114	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	509.561	-1.9	114	-0.04
5 T	1,3-Dinitrobenzene	500.000	501.775	-0.4	113	-0.06
6 T	3,5-Dinitroaniline	500.000	503.928	-0.8	113	-0.08
7 T	Nitrobenzene	500.000	495.304	0.9	111	-0.09
8 T	Tetryl	500.000	558.574	-11.7	122	-0.17
9 T	2,4,6-Trinitrotoluene	500.000	500.374	-0.1	114	-0.15
10 T	2-Amino-4,6-dinitrotoluene	500.000	489.801	2.0	112	-0.18
11 T	4-Amino-2,6-dinitrotoluene	500.000	546.205	-9.2	118	-0.19
12 T	2,4-Dinitrotoluene	500.000	495.612	0.9	113	-0.19
13 T	2,6-Dinitrotoluene	500.000	489.291	2.1	111	-0.20
14 T	2-Nitrotoluene	500.000	503.088	-0.6	118	-0.31
15 T	4-Nitrotoluene	500.000	485.163	3.0	114	-0.31
16 T	3-Nitrotoluene	500.000	497.112	0.6	113	-0.27
17 T	PETN	500.000	494.996	1.0	116	-0.54#

Signal #1 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH Vial: 1
Signal #2 : X:\HPCHEM1\HPLC N\DATA\HN101514\HN006353.D\VWD1A.CH
Acq On : 16-Oct-2014, 12:12 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : X:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------