

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006474.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006474.D\VWD1A.CH
 Acq On : 22-Oct-2014, 17:48 Operator: HNP
 Sample : HSTDCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	534.576	-6.9	134	0.00
2 T	HMX	500.000	442.476	11.5	108	0.00
3 T	RDX	500.000	484.688	3.1	112	-0.02
4 T	1,3,5-Trinitrobenzene	500.000	512.401	-2.5	114	-0.02
5 T	1,3-Dinitrobenzene	500.000	510.587	-2.1	115	-0.04
6 T	3,5-Dinitroaniline	500.000	518.676	-3.7	116	-0.06
7 T	Nitrobenzene	500.000	499.074	0.2	112	-0.06
8 T	Tetryl	500.000	492.315	1.5	107	-0.11
9 T	2,4,6-Trinitrotoluene	500.000	525.134	-5.0	120	-0.09
10 T	2-Amino-4,6-dinitrotoluene	500.000	506.962	-1.4	116	-0.12
11 T	4-Amino-2,6-dinitrotoluene	500.000	570.907	-14.2	123	-0.13
12 T	2,4-Dinitrotoluene	500.000	497.484	0.5	114	-0.12
13 T	2,6-Dinitrotoluene	500.000	538.072	-7.6	122	-0.13
14 T	2-Nitrotoluene	500.000	497.831	0.4	116	-0.18
15 T	4-Nitrotoluene	500.000	520.559	-4.1	123	-0.17
16 T	3-Nitrotoluene	500.000	510.069	-2.0	116	-0.11
17 T	PETN	500.000	555.503	-11.1	130	-0.29

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006474.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006474.D\VWD1A.CH
Acq On : 22-Oct-2014, 17:48 Operator: HNP
Sample : HSTDCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------