

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006485.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006485.D\VWD1A.CH
 Acq On : 22-Oct-2014, 23:38 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	511.631	-2.3	128	0.00
2 T	HMX	500.000	472.382	5.5	116	0.00
3 T	RDX	500.000	482.459	3.5	112	-0.02
4 T	1,3,5-Trinitrobenzene	500.000	509.752	-2.0	114	-0.02
5 T	1,3-Dinitrobenzene	500.000	508.829	-1.8	114	-0.04
6 T	3,5-Dinitroaniline	500.000	517.735	-3.5	116	-0.05
7 T	Nitrobenzene	500.000	501.037	-0.2	112	-0.05
8 T	Tetryl	500.000	544.720	-8.9	119	-0.10
9 T	2,4,6-Trinitrotoluene	500.000	495.776	0.8	113	-0.08
10 T	2-Amino-4,6-dinitrotoluene	500.000	470.938	5.8	107	-0.11
11 T	4-Amino-2,6-dinitrotoluene	500.000	575.617	-15.1	124	-0.11
12 T	2,4-Dinitrotoluene	500.000	530.596	-6.1	121	-0.11
13 T	2,6-Dinitrotoluene	500.000	514.073	-2.8	117	-0.12
14 T	2-Nitrotoluene	500.000	576.988	-15.4	135	-0.16
15 T	4-Nitrotoluene	500.000	509.319	-1.9	120	-0.16
16 T	3-Nitrotoluene	500.000	452.294	9.5	103	-0.08
17 T	PETN	500.000	572.673	-14.5	135	-0.23

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006485.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006485.D\VWD1A.CH
Acq On : 22-Oct-2014, 23:38 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------