

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH
 Acq On : 23-Oct-2014, 04:46 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.281 E3	17.5	103	0.00
2 T	HMX	4.836	4.232 E3	12.5	107	0.00
3 T	RDX	5.483	5.379 E3	1.9	113	0.00
4 T	1,3,5-Trinitrobenzene	10.724	11.093 E3	-3.4	116	0.01
5 T	1,3-Dinitrobenzene	16.374	17.002 E3	-3.8	117	0.00
6 T	3,5-Dinitroaniline	11.653	12.292 E3	-5.5	118	0.00
7 T	Nitrobenzene	10.021	10.143 E3	-1.2	113	0.00
8 T	Tetryl	6.376	6.384 E3	-0.1	109	-0.02
9 T	2,4,6-Trinitrotoluene	10.737	10.929 E3	-1.8	116	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.337 E3	2.1	112	-0.02
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.626 E3	-8.6	117	-0.02
12 T	2,4-Dinitrotoluene	15.397	15.728 E3	-2.1	117	-0.02
13 T	2,6-Dinitrotoluene	8.476	8.832 E3	-4.2	118	-0.02
14 T	2-Nitrotoluene	6.697	6.203 E3	7.4	108	-0.05
15 T	4-Nitrotoluene	5.474	4.815 E3	12.0	104	-0.06
16 T	3-Nitrotoluene	6.962	7.108 E3	-2.1	116	0.03
17 T	PETN	8.230	9.633 E3	-17.0	137	-0.13

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH
Acq On : 23-Oct-2014, 04:46 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------