

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH
 Acq On : 23-Oct-2014, 04:46 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	412.796	17.4	103	0.00
2 T	HMX	500.000	437.481	12.5	107	0.00
3 T	RDX	500.000	490.552	1.9	113	0.00
4 T	1,3,5-Trinitrobenzene	500.000	517.173	-3.4	116	0.01
5 T	1,3-Dinitrobenzene	500.000	519.162	-3.8	117	0.00
6 T	3,5-Dinitroaniline	500.000	527.433	-5.5	118	0.00
7 T	Nitrobenzene	500.000	506.074	-1.2	113	0.00
8 T	Tetryl	500.000	500.620	-0.1	109	-0.02
9 T	2,4,6-Trinitrotoluene	500.000	508.943	-1.8	116	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	489.537	2.1	112	-0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	542.863	-8.6	117	-0.02
12 T	2,4-Dinitrotoluene	500.000	510.726	-2.1	117	-0.02
13 T	2,6-Dinitrotoluene	500.000	521.032	-4.2	118	-0.02
14 T	2-Nitrotoluene	500.000	463.099	7.4	108	-0.05
15 T	4-Nitrotoluene	500.000	439.771	12.0	104	-0.06
16 T	3-Nitrotoluene	500.000	510.513	-2.1	116	0.03
17 T	PETN	500.000	585.221	-17.0	137	-0.13

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102214\HN006496.D\VWD1A.CH
Acq On : 23-Oct-2014, 04:46 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------