

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN102215\
Data File : HN007602.D
Signal(s) : vwd1A.ch
Acq On : 22-Oct-2015, 17:01
Operator : UM/MA
Sample : SSTDCCC005
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
SSTDCCC005

Integration File: AUTOINT1.E
Quant Time: Oct 22 17:37:52 2015
Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN1022NG.M
Quant Title :
QLast Update : Thu Oct 22 16:06:58 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 u1
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	4.076	3.983 E6	2.3	96	0.00
2 T	Nitroglycerin	8.484	8.288 E6	2.3	97	-0.04

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0