

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006497.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006497.D\VWD1A.CH
 Acq On : 23-Oct-2014, 14:57 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	563.021	-12.6	141	0.00
2 T	HMX	500.000	440.476	11.9	108	0.00
3 T	RDX	500.000	482.975	3.4	112	-0.01
4 T	1,3,5-Trinitrobenzene	500.000	514.266	-2.9	115	-0.02
5 T	1,3-Dinitrobenzene	500.000	514.504	-2.9	116	-0.04
6 T	3,5-Dinitroaniline	500.000	521.737	-4.3	116	-0.05
7 T	Nitrobenzene	500.000	494.801	1.0	111	-0.06
8 T	Tetryl	500.000	484.470	3.1	105	-0.12
9 T	2,4,6-Trinitrotoluene	500.000	509.078	-1.8	116	-0.10
10 T	2-Amino-4,6-dinitrotoluene	500.000	497.495	0.5	113	-0.12
11 T	4-Amino-2,6-dinitrotoluene	500.000	556.771	-11.4	120	-0.13
12 T	2,4-Dinitrotoluene	500.000	512.253	-2.5	117	-0.14
13 T	2,6-Dinitrotoluene	500.000	546.986	-9.4	124	-0.15
14 T	2-Nitrotoluene	500.000	500.708	-0.1	117	-0.20
15 T	4-Nitrotoluene	500.000	504.107	-0.8	119	-0.20
16 T	3-Nitrotoluene	500.000	515.154	-3.0	117	-0.14
17 T	PETN	500.000	594.101	-18.8	140	-0.35

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006497.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006497.D\VWD1A.CH
Acq On : 23-Oct-2014, 14:57 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------