

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH
 Acq On : 23-Oct-2014, 15:25 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.479 E3	12.5	109	0.03
2 T	HMX	4.836	4.345 E3	10.2	110	0.03
3 T	RDX	5.483	5.428 E3	1.0	114	0.04
4 T	1,3,5-Trinitrobenzene	10.724	11.242 E3	-4.8	117	0.05
5 T	1,3-Dinitrobenzene	16.374	17.166 E3	-4.8	118	0.05
6 T	3,5-Dinitroaniline	11.653	12.330 E3	-5.8	118	0.04
7 T	Nitrobenzene	10.021	10.057 E3	-0.4	112	0.05
8 T	Tetryl	6.376	6.522 E3	-2.3	111	0.00
9 T	2,4,6-Trinitrotoluene	10.737	11.052 E3	-2.9	117	0.03
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.666 E3	-0.8	115	0.02
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.669 E3	-9.3	118	0.00
12 T	2,4-Dinitrotoluene	15.397	15.917 E3	-3.4	118	0.01
13 T	2,6-Dinitrotoluene	8.476	8.923 E3	-5.3	120	0.00
14 T	2-Nitrotoluene	6.697	6.161 E3	8.0	108	-0.04
15 T	4-Nitrotoluene	5.474	4.897 E3	10.5	105	-0.05
16 T	3-Nitrotoluene	6.962	7.273 E3	-4.5	119	0.03
17 T	PETN	8.230	9.333 E3	-13.4	133	-0.14

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH
Acq On : 23-Oct-2014, 15:25 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------