

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH
 Acq On : 23-Oct-2014, 15:25 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	437.724	12.5	109	0.03
2 T	HMX	500.000	449.153	10.2	110	0.03
3 T	RDX	500.000	495.015	1.0	114	0.04
4 T	1,3,5-Trinitrobenzene	500.000	524.147	-4.8	117	0.05
5 T	1,3-Dinitrobenzene	500.000	524.174	-4.8	118	0.05
6 T	3,5-Dinitroaniline	500.000	529.056	-5.8	118	0.04
7 T	Nitrobenzene	500.000	501.802	-0.4	112	0.05
8 T	Tetryl	500.000	511.457	-2.3	111	0.00
9 T	2,4,6-Trinitrotoluene	500.000	514.656	-2.9	117	0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	503.762	-0.8	115	0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	546.360	-9.3	118	0.00
12 T	2,4-Dinitrotoluene	500.000	516.872	-3.4	118	0.01
13 T	2,6-Dinitrotoluene	500.000	526.386	-5.3	120	0.00
14 T	2-Nitrotoluene	500.000	459.955	8.0	108	-0.04
15 T	4-Nitrotoluene	500.000	447.295	10.5	105	-0.05
16 T	3-Nitrotoluene	500.000	522.322	-4.5	119	0.03
17 T	PETN	500.000	567.000	-13.4	133	-0.14

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006498.D\VWD1A.CH
Acq On : 23-Oct-2014, 15:25 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------