

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006509.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006509.D\VWD1A.CH
 Acq On : 23-Oct-2014, 20:33 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	427.517	14.5	107	-0.02
2 T	HMX	500.000	453.051	9.4	111	-0.01
3 T	RDX	500.000	482.357	3.5	112	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	510.942	-2.2	114	-0.04
5 T	1,3-Dinitrobenzene	500.000	510.782	-2.2	115	-0.07
6 T	3,5-Dinitroaniline	500.000	509.752	-2.0	114	-0.09
7 T	Nitrobenzene	500.000	500.433	-0.1	112	-0.10
8 T	Tetryl	500.000	506.589	-1.3	110	-0.18
9 T	2,4,6-Trinitrotoluene	500.000	507.902	-1.6	116	-0.16
10 T	2-Amino-4,6-dinitrotoluene	500.000	501.159	-0.2	114	-0.18
11 T	4-Amino-2,6-dinitrotoluene	500.000	558.514	-11.7	121	-0.20
12 T	2,4-Dinitrotoluene	500.000	512.567	-2.5	117	-0.20
13 T	2,6-Dinitrotoluene	500.000	508.598	-1.7	115	-0.22
14 T	2-Nitrotoluene	500.000	465.532	6.9	109	-0.30
15 T	4-Nitrotoluene	500.000	490.140	2.0	116	-0.31
16 T	3-Nitrotoluene	500.000	497.443	0.5	113	-0.25
17 T	PETN	500.000	554.182	-10.8	130	-0.50

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006509.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006509.D\VWD1A.CH
Acq On : 23-Oct-2014, 20:33 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------