

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006520.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006520.D\VWD1A.CH
 Acq On : 24-Oct-2014, 01:41 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.376 E3	15.1	106	-0.02
2 T	HMX	4.836	4.186 E3	13.4	106	-0.01
3 T	RDX	5.483	5.298 E3	3.4	112	-0.03
4 T	1,3,5-Trinitrobenzene	10.724	11.048 E3	-3.0	115	-0.05
5 T	1,3-Dinitrobenzene	16.374	16.639 E3	-1.6	114	-0.07
6 T	3,5-Dinitroaniline	11.653	11.972 E3	-2.7	115	-0.09
7 T	Nitrobenzene	10.021	10.121 E3	-1.0	113	-0.11
8 T	Tetryl	6.376	6.157 E3	3.4	105	-0.18
9 T	2,4,6-Trinitrotoluene	10.737	10.144 E3	5.5	108	-0.16
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.180 E3	3.4	110	-0.18
11 T	4-Amino-2,6-dinitrotoluene	6.103	7.156 E3	-17.3	127	-0.20
12 T	2,4-Dinitrotoluene	15.397	15.168 E3	1.5	113	-0.20
13 T	2,6-Dinitrotoluene	8.476	8.812 E3	-4.0	118	-0.22
14 T	2-Nitrotoluene	6.697	6.324 E3	5.6	110	-0.30
15 T	4-Nitrotoluene	5.474	6.053 E3	-10.6	130	-0.33
16 T	3-Nitrotoluene	6.962	7.050 E3	-1.3	115	-0.28
17 T	PETN	8.230	8.731 E3	-6.1	125	-0.53#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006520.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006520.D\VWD1A.CH
Acq On : 24-Oct-2014, 01:41 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------