

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006542.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006542.D\VWD1A.CH
 Acq On : 24-Oct-2014, 11:57 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	409.806	18.0	102	-0.02
2 T	HMX	500.000	442.512	11.5	108	0.00
3 T	RDX	500.000	478.227	4.4	111	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	511.919	-2.4	114	-0.04
5 T	1,3-Dinitrobenzene	500.000	510.365	-2.1	115	-0.07
6 T	3,5-Dinitroaniline	500.000	500.247	-0.0	112	-0.09
7 T	Nitrobenzene	500.000	493.395	1.3	110	-0.11
8 T	Tetryl	500.000	505.217	-1.0	110	-0.20
9 T	2,4,6-Trinitrotoluene	500.000	511.578	-2.3	117	-0.17
10 T	2-Amino-4,6-dinitrotoluene	500.000	496.851	0.6	113	-0.21
11 T	4-Amino-2,6-dinitrotoluene	500.000	530.294	-6.1	115	-0.23
12 T	2,4-Dinitrotoluene	500.000	510.182	-2.0	117	-0.23
13 T	2,6-Dinitrotoluene	500.000	483.112	3.4	110	-0.25
14 T	2-Nitrotoluene	500.000	491.197	1.8	115	-0.34
15 T	4-Nitrotoluene	500.000	479.624	4.1	113	-0.36
16 T	3-Nitrotoluene	500.000	499.642	0.1	114	-0.29
17 T	PETN	500.000	626.397	-25.3#	147	-0.52#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006542.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006542.D\VWD1A.CH
Acq On : 24-Oct-2014, 11:57 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------