

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH
Acq On : 24-Oct-2014, 17:06 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.879 E3	2.4	122	-0.03
2 T	HMX	4.836	4.360 E3	9.8	110	-0.01
3 T	RDX	5.483	5.179 E3	5.5	109	-0.04
4 T	1,3,5-Trinitrobenzene	10.724	11.021 E3	-2.8	115	-0.06
5 T	1,3-Dinitrobenzene	16.374	16.515 E3	-0.9	113	-0.09
6 T	3,5-Dinitroaniline	11.653	11.897 E3	-2.1	114	-0.11
7 T	Nitrobenzene	10.021	10.309 E3	-2.9	115	-0.13
8 T	Tetryl	6.376	6.369 E3	0.1	109	-0.23
9 T	2,4,6-Trinitrotoluene	10.737	10.338 E3	3.7	110	-0.20
10 T	2-Amino-4,6-dinitrotoluene	11.579	11.127 E3	3.9	110	-0.25
11 T	4-Amino-2,6-dinitrotoluene	6.103	6.868 E3	-12.5	122	-0.26
12 T	2,4-Dinitrotoluene	15.397	15.938 E3	-3.5	118	-0.27
13 T	2,6-Dinitrotoluene	8.476	9.089 E3	-7.2	122	-0.29
14 T	2-Nitrotoluene	6.697	6.417 E3	4.2	112	-0.39
15 T	4-Nitrotoluene	5.474	5.600 E3	-2.3	121	-0.43
16 T	3-Nitrotoluene	6.962	6.854 E3	1.6	112	-0.37
17 T	PETN	8.230	9.062 E3	-10.1	129	-0.67#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH
Acq On : 24-Oct-2014, 17:06 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------